PHILIPS

Monitors

2019

Office use Collection

AL.



Unlock your productivity

Philips monitors meet the needs of today's dynamic, polyvalent professionals with a wide array of innovative solutions designed to maximize productivity, deliver true-to-life visuals, enhance well-being, and safeguard the environment. Offering diverse, high-quality displays equipped with powerful, forward-thinking features, Philips monitors enable you to get the most out of each and every workday, regardless of the size or activity of your business.

Contents

 Flexible Connectivity 	4
 Green Power 	6
 The right touch 	8
 Ultra-Wide Quad HD 	10
Wellbeing	12
 Quantum Dot Technology 	14
 Product matrix 	16



Flexible Connectivity USB docking



More than ever, professionals need smart, practical solutions that enhance performance and make every workday more productive. USB-C docking does both. Featuring a slim, reversible USB-C connector, as well as high-speed USB 3.1 technology, this flexible solution enables you to perform a wide variety of tasks using just one cable. From transferring data securely and quickly, to recharging notebooks and smartphones, to plugging peripherals directly into the monitor to watch videos while surfing the internet, USB-C docking makes multitasking a pleasure.



Save up to 80% energy costs

PowerSensor

The PowerSensor is a smart monitor technology with a built-in "people sensor." Infrared signals detect the presence of a person in front of the monitor and automatically reduce energy consumption by up to 80% the minute they walk away. So every meeting, coffee break, trip to the printer and chat with a coworker is an opportunity to reduce your carbon footprint and operating costs. Effortlessly

Zero power consumption

Zero watt hard switch

Bring ergonomics at work to the next level with the new professional monitors of Philips. Adjust the monitor with the SmartErgoBase for maximum comfort and optimal productivity. The PowerSensor technology helps to easily reduce energy costs and take care of the environment. The light colour of the design (according to the recommendations of the ergonomic guidelines of BGI 650) and the TCO Edge certication complete the overall concept of an ergonomic office display.

Green power Sustainable solutions



Low Power

We all call Earth our home, which is why Philips monitors feature innovative, ecologically-friendly technologies for a greener tomorrow. **Energy efficiency**, **fully recyclable packaging, compliance with strict international environmental standards**, and freedom from harmful substances such as lead, mercury, and PVC/BFR are just a few of the ways that Philips monitors achieve an ever-smaller carbon footprint and help to build a brighter future for all.



The right **touch**



Philips Touch monitors are a joy to use. Thanks to Projected-Capacitive (P-Cap) touch technology that supports up to 10 points, navigation is smooth and intuitive. Equipped with the IP54 standard so you don't have to worry about dust and water infiltration, these interactive monitors also offer the comfort of an antiglare surface, the beauty of full HD resolution, and the flexibility of an articulating stand, all in one convenient monitor that you can take anywhere and enjoy in any profession.



UltraClear **4K** UHD Reveal the nest details

With 3840 × 2160 resolution, UltraClear 4K UHD delivers four times the precision of Full HD. These monitors offer the ultimate combination of size, picture clarity and performance panels with high density pixel count, enabled by high bandwidth sources like DisplayPort, HDMI, Dual link DVI, these new displays will make your images and graphics come alive.

Quad HD A clearer way to get things done

Experience ultra-sharp imagery in stunning 2560 × 1440 resolution with Ouad HD displays designed to boost vour productivity. With excellent display colours up to 1.07 billion, you can now enjoy professional true colour sRGB images compared to limited 16.7 million display colours. Its higher brightness and lower power consumption relative to conventional wide view angle displays ensure you always have brilliant performance, while saving energy too. It's best suited for professional applications like CAD.

Ultra**Wide** Quad HD

New level of productivity



UltraWide



The 21:9 **UltraWide Philips screens** are designed with multitasking in mind. Connect and view two different sources at the same time with advanced Multiview technology. HDMI, DVI and DisplayPort connections let you access almost any device while USB 3.0 provides superspeed data transfer. The IPS panel delivers distortion-free viewing from any angle. The slim, elegant design features an **Ultra Narrow Bezel** to further maximize your viewing area. No matter what you need to accomplish, this display takes productivity to the extreme.

Developed for the **Wellbeing** of your eyes


Eye damage from excessive screen time

What is blue light?

Blue light is the closest, visible light next to Ultra Violet (UV) rays. The abundance of screens in our life such as computer screens, tablets and phones, as well as energy-efficient lighting, is exposing us to too much blue light. According to researchers, high energy blue light can contribute to eye damage and diseases.

Why does blue light hurt?

Blue light can penetrate far into the eye and damage it. UV light can reach the cornea and lens, whereas short wavelength blue light can penetrate the retina and the macula and cause irreversible damage. The light of LEDbacklit displays comes primarily from the short wavelength, high energy, hazardous blue and violet end of the visible light spectrum.



SoftBlue Technology

SoftBlue technology uses a panel hardware innovation to reduce harmful shortwave blue light without affecting the colour or image of the display.

How does it work?

SoftBlue technology uses a panel hardware innovation to reduce harmful shortwave blue light without affecting the colour or image of the display.

First, it reduces the intensity of the harmful spectrum of the blue light from computer screens from 450 to 460 nYesmeters.

Then, it changes the recipe of green and red phosphor to reach an optimal white balance.

Low Blue Mode


Philips Low Blue Mode setting uses a smart software technology to reduce harmful shortwave blue light.



Low Blue Mode

Off

Low Blue Mode Level 1





Premium Colours

Quantum Dot Technology

Ultra-Wide Colour that's living up to the hype.

What are guantum dots?

¹ Quantum dots are miniscule particles that emit different colours depending on their size - smaller dots appear blue, the larger ones red. In screens and monitors they remove the need for white LED backlights and colour filters, and produce highly saturated primary colours.

What does this mean?

It means that Quantum Dot Technology delivers a wider range of more accurate colours, and that colours remain crisp and clear even in bright light. From gaming to web browsing and documentation, your screen will come alive with the darkest reds and the brightest greens. With more contrast, and more vibrance, the picture really is as good as people say


HDR. The Next Big Thing

Redefining reality TV

As visual technology continues to chase human vision, High Dynamic Range has mastered the grey area. With even more contrast between black and white, ² it pushes visual content passed defined limitations and builds images from a wider gamut of colour and brightness.

With darker are darks and even brighter brights, the HDR display delivers next generation clarity and luminance that is even closer to reality.

- dots-explainedwhat-they-are-and-why-they-re-



Screen size



Screen size	27 inch / 68,6 cm	24 inch / 61 cm	23,8 inch / 60,5 cm	23,8 inch / 60,5 cm
PICTURE / DISPLAY				
LCD Panel type	IPS	TN	IPS	IPS
Backlighting	WLED	WLED	WLED	WLED
Optimum resolution	1920x1080@60Hz	1920x1080@60Hz	1920x1080@60Hz	1920x1080@60Hz
Aspect ratio	16:9	16:9	16:9	16:9
Viewing angle (CR10)	178/178	170/160	178/178	178/178
Brightness (cd/m ²)	250	250	250	250
Contrast ratio (typical)	1000:1	1000:1	1000:1	1000:1
Smart Contrast ratio	20M:1	20M:1	20M:1	20M:1
Smart Response time	5	5	5	5
Pixel pitch (mm)	0.311 x 0.311	0.276 x 0.276	0.275 x 0.275	0.275 x 0.275
Colour Gamut	0	0	0	0
CONNECTIVITY	0	0	0	0
VGA	1	1	1	1
	0		0	0
DVI		0		
HDMI	1	0	0	1
Display Port	1	0	1	1
USB	0	0	0	4
PC audio-in	Yes	0	Yes	Yes
Headphones out	Yes	0	Yes	Yes
FEATURES				
Speakers	Yes	0	Yes	Yes
Webcam 2mp / microphone	0	0	0	0
Smart Control software	Yes	Yes	Yes	Yes
Multi view	0	0	0	0
Blue mode	LowBlue	0	SoftBlue	SoftBlue
FlickerFree	0	0	0	0
PHYSICAL SPECS/ERGONOMICS				
Smart Ergo Base	Yes	Yes	Yes	Yes
Height adjustment (mm)	110mm	110mm	130mm	130mm
Pivot (90 degree)	Yes	Yes	Yes	Yes
Swivel (degree)	-175/175	-65/65	-175/175	-175/175
Tilt (degree)	-5/20	-5/20	-5/25	-5/25
Weight with stand (kg)	7,18	6,3	5	5,1
Dimensions with stand WxHxD (mm)			5	J,I
		EEE v 402 v 227 mm	E40 x 493 x 202 mm	E40 y 492 y 202 mm
	614 x 513 x 257 mm	565 x 403 x 227 mm	540 x 483 x 202 mm	540 x 483 x 202 mm
Dimension without stand WxHxD (mm)	614 x 372 x 56 mm	565 x 352 x 55 mm	540 x 325 x 45 mm	540 x 325 x 45 mm
VESA mount (mm)				
VESA mount (mm) ENERGY EFFICIENCY	614 x 372 x 56 mm 100x100	565 x 352 x 55 mm 100x100	540 x 325 x 45 mm 100x100	540 x 325 x 45 mm 100x100
VESA mount (mm) ENERGY EFFICIENCY Power Sensor	614 x 372 x 56 mm 100x100 0	565 x 352 x 55 mm 100x100 0	540 x 325 x 45 mm 100x100 0	540 x 325 x 45 mm 100x100 0
VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W)	614 x 372 x 56 mm 100x100 0 15,5	565 x 352 x 55 mm 100x100 0 21,9	540 x 325 x 45 mm 100x100 0 14,1	540 x 325 x 45 mm 100x100 0 14,6
VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W)	614 x 372 x 56 mm 100x100 0 15.5 <0.3	565 x 352 x 55 mm 100x100 0 21,9 0,1	540 x 325 x 45 mm 100x100 0 14,1 <0.5	540 x 325 x 45 mm 100x100 0 14,6 <0,5
VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W)	614 x 372 x 56 mm 100x100 0 15,5	565 x 352 x 55 mm 100x100 0 21,9	540 x 325 x 45 mm 100x100 0 14,1	540 x 325 x 45 mm 100x100 0 14,6
VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W)	614 x 372 x 56 mm 100x100 0 15.5 <0.3	565 x 352 x 55 mm 100x100 0 21,9 0,1	540 x 325 x 45 mm 100x100 0 14,1 <0.5	540 x 325 x 45 mm 100x100 0 14,6 <0,5
VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W) Off mode (W)	614 x 372 x 56 mm 100x100 0 15,5 <0.3 Zero watts with Zero switch	565 x 352 x 55 mm 100x100 0 21,9 0,1 0,1	540 x 325 x 45 mm 100x100 0 14,1 <0.5 <0.3	540 x 325 x 45 mm 100x100 0 14,6 <0.5 <0.3
VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W) Off mode (W) Power supply	614 x 372 x 56 mm 100x100 0 15,5 <0.3 Zero watts with Zero switch	565 x 352 x 55 mm 100x100 0 21,9 0,1 0,1	540 x 325 x 45 mm 100x100 0 14,1 <0.5 <0.3	540 x 325 x 45 mm 100x100 0 14,6 <0.5 <0.3
VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W) Off mode (W) Off mode (W) Power supply APPROVALS	614 x 372 x 56 mm 100x100 0 15,5 <0.3 Zero watts with Zero switch Internal	565 x 352 x 55 mm 100x100 0 21,9 0,1 0,1 Internal	540 x 325 x 45 mm 100x100 0 14,1 <0.5 <0.3 Internal	540 x 325 x 45 mm 100x100 0 14,6 <0.5 <0.3 Internal
VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W) Off mode (W) Power supply APPROVALS TCO	614 x 372 x 56 mm 100x100 0 15.5 <0.3 Zero watts with Zero switch Internal	565 x 352 x 55 mm 100x100 0 21.9 0,1 0,1 0,1 Internal 6	540 x 325 x 45 mm 100x100 0 14,1 <0.5 <0.3 Internal 7	540 x 325 x 45 mm 100x100 0 14,6 <0.5 <0.3 Internal 7
VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W) Off mode (W) Power supply APPROVALS TCO EPEAT	614 x 372 x 56 mm 100x100 0 15.5 <0.3 Zero watts with Zero switch Internal 6 Gold	565 x 352 x 55 mm 100x100 0 21.9 0,1 0,1 Internal 6 Gold	540 x 325 x 45 mm 100x100 0 14,1 <0.5 <0.3 Internal 7 Gold	540 x 325 x 45 mm 100x100 0 14.6 <0.5 <0.3 Internal 7 Gold
VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W) Off mode (W) Power supply APPROVALS TCO EPEAT Energy Star	614 x 372 x 56 mm 100x100 0 15.5 <0.3 Zero watts with Zero switch Internal 6 Gold	565 x 352 x 55 mm 100x100 0 21.9 0,1 0,1 Internal 6 Gold	540 x 325 x 45 mm 100x100 0 14,1 <0.5 <0.3 Internal 7 Gold	540 x 325 x 45 mm 100x100 0 14.6 <0.5 <0.3 Internal 7 Gold
VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W) Off mode (W) Power supply AppROVALS TCO EPEAT Energy Star WHAT'S IN THE BOX Power cable included	614 x 372 x 56 mm 100x100 0 15,5 <0,3 Zero watts with Zero switch Internal 6 Gold 7	565 x 352 x 55 mm 100x100 0 21,9 0,1 0,1 1nternal 6 Gold 7	540 x 325 x 45 mm 100x100 0 14,1 <0.5 <0.3 Internal 7 Gold 7	540 x 325 x 45 mm 100x100 0 14,6 <0.5 <0.3 Internal 7 Gold 7
VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W) Off mode (W) Power supply APPROVALS TCO EPEAT Energy Star WHAT'S IN THE BOX Power cable included VGA cable included	614 x 372 x 56 mm 100x100 0 15,5 <0,3 Zero wats with Zero switch Internal 6 Gold 7 1 1	565 x 352 x 55 mm 100x100 0 21,9 0,1 0,1 0,1 0,1 0,1 0,1 0,1 0,1 0,1 0,1	540 x 325 x 45 mm 100x100 0 14,1 <0.5 <0.3 Internal 7 Gold 7 1 1	540 x 325 x 45 mm 100x100 0 14.6 <0.5 <0.3 Internal 7 Gold 7 1 1
VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W) Off mode (W) Off mode (W) Power supply APPROVALS TCO EPEAT Energy Star WHAT'S IN THE BOX Power cable included DVI cable included	614 x 372 x 56 mm 100x100 0 15,5 <0,3 Zero watts with Zero switch Internal 6 Gold 7 1 1 1 0	565 x 352 x 55 mm 100x100 0 21,9 0,1 0,1 Internal 6 Gold 7 7	540 x 325 x 45 mm 100x100 0 14,1 <0,5 <0,3 Internal 7 Gold 7 1 1 1 0	540 x 325 x 45 mm 100x100 0 14,6 <0,5 <0,3 Internal 7 Gold 7 7 1 1 1 0
VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W) Off mode (W) Power supply APPROVALS TCO EPEAT Energy Star WHAT'S IN THE BOX Power cable included VGA cable included HDMI cable included	614 x 372 x 56 mm 100x100 0 15,5 <0,3 Zero watts with Zero switch Internal 6 Gold 7 1 1 1 0 1	565 x 352 x 55 mm 100x100 0 21,9 0,1 0,1 0,1 0,1 0,1 0,1 6 6 6 6 6 0 6 0 1 1 1 0 0 0	540 x 325 x 45 mm 100x100 0 14,1 <0.5 <0.3 Internal 7 Gold 7 1 1 1 0 0	540 x 325 x 45 mm 100x100 0 14.6 <0.5 <0.3 Internal 7 Gold 7 1 1
VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W) Off mode (W) Off mode (W) Power supply APPROVALS TCO EPEAT Energy Star WHAT'S IN THE BOX Power cable included DVI cable included	614 x 372 x 56 mm 100x100 0 15,5 <0,3 Zero watts with Zero switch Internal 6 Gold 7 1 1 1 0	565 x 352 x 55 mm 100x100 0 21,9 0,1 0,1 Internal 6 Gold 7 7	540 x 325 x 45 mm 100x100 0 14,1 <0,5 <0,3 Internal 7 Gold 7 1 1 1 0	540 x 325 x 45 mm 100x100 0 14,6 <0,5 <0,3 Internal 7 Gold 7 7 1 1 1 0

24"	24"	24"	24"	22"
243S7EHMB	243S5LJMB	243S5LHMB	24355LDAB	220S4LYCB
23,8 inch / 60,5 cm	23,6 inch / 59,95 cm	23,6 inch / 59,95 cm	23,6 inch / 59,95 cm	22 inch / 55,9 cm
25,6 Inch / 60,5 cm	23,0 inch / 53,55 cm	23,0 11(117 35,55 (11	23,0 11017 35,55 011	22 11017 33,3 011
IPS	TFT-LCD	TFT-LCD	TFT-LCD	TN
WLED	WLED	WLED	WLED	WLED
1920x1080@60Hz	1920x1080@60Hz	1920x1080@60Hz	1920×1080@60Hz	1680x1050@60Hz
16:9	16:9	16:9	16:9	16:10
178/178	170/160	170/160	170/160	170/160
250	250	250	250	250
1000:1	1000:1	1000:1	1000:1	1000:1
20M:1	1000:1 10M:1	1000:1 10M:1	1000:1 10M:1	20M:1
20M:1	1	1	1	
				5
0.275 x 0.275	0.272 x 0.272	0,272 × 0,272	0,272 × 0,272	0.282 x 0.282
0	0	0	0	0
1	1	1	1	1
0	0	0	0	0
1	1	1	1	0
0	0	0	0	0
0	4	0	0	0
Yes	Yes	Yes	Yes	0
Yes	Yes	Yes	Yes	0
Yes	Yes	Yes	Yes	0
0	0	0	0	0
Yes	0	0	0	Yes
0	0	0	0	0
SoftBlue	0	0	0	0
0	0	0	0	0
Yes	Yes	Yes	0	Yes
130mm	130mm	130mm	0	110mm
Yes	Yes	Yes	0	Yes
-175/175	-175/175	-175/175	0	-65/65
-5/25	-5/20	-5/20	-5/20	-5/20
5	5,3	5,12	3,58	7,05
540 x 483 x 202 mm	560 x 520 x 232 mm	560 x 520 x 232 mm	560 x 424 x 219 mm	504 x 509 x 227 mm
540 x 325 x 45 mm	560 x 348 x 53 mm	560 x 348 x 53 mm	560 x 348 x 53 mm	504 x 349 x 59 mm
100x100	100×100	100x100	100×100	100×100
0	0	0	0	0
14,6	15,7	14,9	15,3	15,1
<0.5	0,5	0,5	1,5	0,3
<0.3	0,3	0.3	<0.3	0,3
Internal	Internal	Internal	Internal	Internal
-	Certified	Certified	Certified	6
7		Silver	Silver	Gold
	Silver			
Gold	Silver 7		7	7
	Silver 7	7	7	7
Gold 7	7	7	7	
Gold 7 1				7 1 1
Gold 7 1 1	7 1 1	7 1 1	1 1	1 1
Gold 7 1 1 0	7	7		1 1 0
Gold 7 1 1 0 1	7 1 1 0 1	7 1 1 0 1	1 1 0 1	1 1 0 0
Gold 7 1 1 0	7 1 1	7 1 1	1 1	1 1 0



MODEL NUMBER	221S8LDAB	223S7EYMB	223S7EHMB	223S7EJMB
Screen size	21,5 inch / 54,6 cm	21,5 inch / 54,6 cm	21,5 inch / 54,6 cm	21,5 inch / 54,6 cm
PICTURE / DISPLAY				
LCD Panel type	TN	IPS	IPS	IPS
Backlighting	WLED	WLED	WLED	WLED
Optimum resolution	1920x1080@60Hz	1920x1080@60Hz	1920x1080@60Hz	1920x1080@60Hz
Aspect ratio	16:9	16:9	16:9	16:9
Viewing angle (CR10)	170/160	178/178	178/178	178/178
Brightness (cd/m ²)	250	250	250	250
Contrast ratio (typical)	1000:1	1000:1	1000:1	1000:1
Smart Contrast ratio	20M:1	20M:1	20M:1	20M:1
Smart Response time	1	5	5	5
Pixel pitch (mm)	0.248 x 0.248	0.248 x 0.248	0.248 x 0.248	0.248 x 0.248
Colour Gamut	0	0	0	0
CONNECTIVITY	0	0	U U U U U U U U U U U U U U U U U U U	0
VGA	1	1	1	1
DVI	0	0	0	0
HDMI	1	0	1	1
Display Port	0	1	0	1
USB	0	0	0	4
PC audio-in	Yes	Yes	Yes	Yes
Headphones out	Yes	Yes	Yes	Yes
FEATURES				
Speakers	Yes	Yes	Yes	Yes
Webcam 2mp / microphone	0	0	0	0
Smart Control software	Yes	Yes	Yes	Yes
Multi view	0	0	0	0
Blue mode	LowBlue	SoftBlue	SoftBlue	SoftBlue / LowBlue
FlickerFree	Yes	0	0	0
Smart Ergo Base	0	Yes	Yes	Yes
PHYSICAL SPECS/ERGONOMICS Smart Ergo Base Height adjustment (mm)	0	130mm	130mm	130mm
Smart Ergo Base Height adjustment (mm) Pivot (90 degree)	0 0	130mm Yes	130mm Yes	130mm Yes
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree)	0 0 0	130mm Yes -175/175	130mm Yes -175/175	130mm Yes -175/175
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree) Tilt (degree)	0 0 0 -5/25	130mm Yes -175/175 -5/25	130mm Yes -175/175 -5/25	130mm Yes -175/175 -5/25
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree) Tilt (degree) Weight with stand (kg)	0 0 -5/25 2,8	130mm Yes -175/175 -5/25 4,51	130mm Yes -175/175 -5/25 4,5	130mm Yes -175/175 -5/25 4,65
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree) Tilt (degree) Weight with stand (kg) Dimensions with stand WxHxD (mm)	0 0 -5/25 2,8 504 x 395 x 208 mm	130mm Yes -175/175 -5/25 4,51 490 x 455 x 202 mm	130mm Yes -175/175 -5/25 4,5 4,90 x 455 x 202 mm	130mm Yes -175/175 -5/25 4,65 490 x 455 x 202 mm
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree) Tilt (degree) Weight with stand (kg) Dimensions with stand WxHxD (mm)	0 0 -5/25 2,8	130mm Yes -175/175 -5/25 4,51	130mm Yes -175/175 -5/25 4,5	130mm Yes -175/175 -5/25 4,65
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree) Tilt (degree) Weight with stand (kg) Dimensions with stand WxHxD (mm) Dimension without stand WxHxD (mm)	0 0 -5/25 2,8 504 x 395 x 208 mm	130mm Yes -175/175 -5/25 4,51 490 x 455 x 202 mm	130mm Yes -175/175 -5/25 4,5 4,90 x 455 x 202 mm	130mm Yes -175/175 -5/25 4,65 490 x 455 x 202 mm
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree) Tilt (degree) Weight with stand (kg) Dimensions with stand WxHxD (mm) Dimension without stand WxHxD (mm) VESA mount (mm)	0 0 -5/25 2,8 504 x 395 x 208 mm 504 x 304 x 47 mm 100x100	130mm Yes -175/175 -5/25 4,51 490 x 455 x 202 mm 490 x 296 x 45 mm 100x100	130mm Yes -175/175 -5/25 4,5 490 x 455 x 202 mm 490 x 296 x 45 mm	130mm Yes -175/175 -5/25 4,65 490 x 455 x 202 mm 490 x 296 x 45 mm
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree) Tilt (degree) Weight with stand (kg) Dimensions with stand WxHxD (mm) Dimension without stand WxHxD (mm) VESA mount (mm) ENERGY EFFICIENCY	0 0 -5/25 2,8 504 x 395 x 208 mm 504 x 304 x 47 mm	130mm Yes -175/175 -5/25 4,51 490 x 455 x 202 mm 490 x 296 x 45 mm	130mm Yes -175/175 -5/25 4,5 490 x 455 x 202 mm 490 x 296 x 45 mm	130mm Yes -175/175 -5/25 4,65 490 x 455 x 202 mm 490 x 296 x 45 mm
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree) Tilt (degree) Weight with stand (kg) Dimensions with stand WxHxD (mm) Dimension without stand WxHxD (mm) VESA mount (mm) ENERCY EFFICIENCY Power Sensor	0 0 -5/25 2,8 504 x 395 x 208 mm 504 x 304 x 47 mm 100x100	130mm Yes -175/175 -5/25 4,51 490 x 455 x 202 mm 490 x 296 x 45 mm 100x100	130mm Yes -175/175 -5/25 4,5 490 x 455 x 202 mm 490 x 296 x 45 mm 100x100	130mm Yes -175/175 -5/25 4,65 490 x 455 x 202 mm 490 x 296 x 45 mm 100x100
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree) Tilt (degree) Uitersions with stand (kg) Dimension with stand WXHxD (mm) Dimension without stand WXHxD (mm) VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W)	0 0 -5/25 2,8 504 x 395 x 208 mm 504 x 304 x 47 mm 100x100 0	130mm Yes -175/175 -5/25 4,51 490 x 455 x 202 mm 490 x 296 x 45 mm 100x100 0	130mm Yes -175/175 -5/25 4,5 490 x 455 x 202 mm 490 x 296 x 45 mm 100x100 0	130mm Yes -175/175 -5/25 4,65 490 x 455 x 202 mm 490 x 296 x 45 mm 100x100 0
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree) Tilt (degree) Weight with stand (kg) Dimension with stand WxHxD (mm) Dimension without stand WxHxD (mm) VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W)	0 0 -5/25 2,8 504 x 305 x 208 mm 504 x 304 x 47 mm 100x100 0 14,2	130mm Yes -175/175 -5/25 4,51 490 x 455 x 202 mm 490 x 296 x 45 mm 100x100 0 12,5	130mm Yes -175/175 -5/25 4/5 490 x 455 x 202 mm 490 x 296 x 45 mm 100x100 0 12,3	130mm Yes -175/175 -5/25 4,65 490 x 455 x 202 mm 490 x 296 x 45 mm 100x100 0 12,5
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree) Tilt (degree) Weight with stand (kg) Dimensions with stand WxHxD (mm) Dimensions without stand WxHxD (mm) VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W)	0 0 -5/25 2,8 504 x 395 x 208 mm 504 x 304 x 47 mm 100x100 0 14,2 <0,3	130mm Yes -175/175 -5/25 4,51 490 x 455 x 202 mm 490 x 296 x 45 mm 100x100 0 0 0 12,5 <0.5	130mm Yes -175/175 -5/25 4.5 490 × 455 × 202 mm 490 × 296 × 45 mm 100x100 0 0 12,3 <0.5	130mm Yes -175/175 -5/25 4,65 490 × 455 × 202 mm 490 × 296 × 45 mm 100x100 0 0 12,5 <0.5
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree) Tilt (degree) Uniensions with stand VxHxD (mm) Dimensions with stand WxHxD (mm) UESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W) Off mode (W) Power supply	0 0 -5/25 2,8 504 x 395 x 208 mm 504 x 304 x 47 mm 10 0 14,2 <0.3 <0.3	130mm Yes -175/175 -5/25 4,51 490 × 455 × 202 mm 490 × 296 × 45 mm 100×100 0 0 12,5 <0.5 <0.3	130mm Yes -175/175 -5/25 4,5 490 × 455 × 202 mm 490 × 296 × 45 mm 100×100 0 0 12,3 <0.5 <0.3	130mm Yes -175/175 -5/25 4,65 490 × 455 × 202 mm 490 × 296 × 45 mm 100×100 0 0 12,5 <0.5 <0.3
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree) Tilt (degree) Weight with stand (kg) Dimension with stand WxHxD (mm) Dimension without stand WxHxD (mm) VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W) Off mode (W) Power supply APPROVALS	0 0 -5/25 2,8 504 x 395 x 208 mm 504 x 304 x 47 mm 10 0 14,2 <0.3 <0.3	130mm Yes -175/175 -5/25 4,51 490 × 455 × 202 mm 490 × 296 × 45 mm 100×100 0 0 12,5 <0.5 <0.3	130mm Yes -175/175 -5/25 4,5 490 × 455 × 202 mm 490 × 296 × 45 mm 100×100 0 0 12,3 <0.5 <0.3	130mm Yes -175/175 -5/25 4,65 490 × 455 × 202 mm 490 × 296 × 45 mm 100×100 0 0 12,5 <0.5 <0.3
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree) Tilt (degree) Weight with stand (kg) Dimension with stand WxHxD (mm) Dimension without stand WxHxD (mm) VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W) Off mode (W) Power supply Power supply ApproVALS	0 0 -5/25 2,8 504 × 305 × 208 mm 504 × 304 × 47 mm 100×100 0 14,2 <0.3 <0.3 <0.3 Internal	130mm Yes -175/175 -5/25 4.51 490 x 455 x 202 mm 490 x 296 x 45 mm 100x100 0 12,5 <0.5 <0.3 Internal	130mm Yes -175/175 -5/25 4.5 490 x 455 x 202 mm 490 x 296 x 45 mm 100x100 0 12,3 <0.5 <0.3 Internal	130mm Yes -175/175 -5/25 4,65 490 x 455 x 202 mm 490 x 296 x 45 mm 100x100 0 12,5 <0.5 <0.5 <0.3 Internal
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree) Tilt (degree) Weight with stand (kg) Dimensions with stand WxHxD (mm) Dimensions with stand WxHxD (mm) VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W) Off mode (W) Power supply APPROVALS TCO EPEAT	0 0 -5/25 2,8 504 x 395 x 208 mm 504 x 304 x 47 mm 100x100 0 14,2 <0.3 <0.3 <0.3 <pre>co.3</pre>	130mm Yes -175/175 -5/25 4,51 490 x 455 x 202 mm 490 x 296 x 45 mm 100x100 0 0 100x100 0 12,5 <0.5 <0.3 Internal 7	130mm Yes -175/175 -5/25 4,5 490 × 455 × 202 mm 490 × 296 × 45 mm 100×100 0 12,3 <0.5 <0.3 Internal 7	130mm Yes -175/175 -5/25 4,65 490 × 455 × 202 mm 490 × 296 × 45 mm 100×100 0 100×100 0 12,5 <0.5 <0.3 Internal 7
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree) Tilt (degree) Weight with stand (kg) Dimension with stand WXHxD (mm) Dimension with stand WXHxD (mm) VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W) Off mode (W) Off mode (W) Power supply APPROVALS TCO EPEAT Energy Star	0 0 -5/25 2,8 504 x 395 x 208 mm 504 x 304 x 47 mm 100 0 14,2 0.3 14,2 0.3 Internal Certified Gold	130mm Yes -175/175 -5/25 4,51 490 × 455 × 202 mm 490 × 296 × 45 mm 100×100 0 0 10.5 <0.5 <0.3 Internal 7 Gold	130mm Yes -175/175 -5/25 4,5 490 × 455 × 202 mm 490 × 296 × 45 mm 100×100 0 0 12,3 <0.5 <0.3 Internal 7 Gold	130mm Yes -175/175 -5/25 4,65 490 × 455 × 202 mm 490 × 296 × 45 mm 100×100 00 100×100 0 12,5 <0.5 <0.3 Internal 7 Gold
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree) Tilt (degree) Weight with stand (kg) Dimension with stand WxHxD (mm) Dimension without stand WxHxD (mm) VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W) Off mode (W) Power supply APPROVALS TCO EPEAT Energy Star WHAT'S IN THE BOX	0 0 -5/25 2,8 504 x 395 x 208 mm 504 x 304 x 47 mm 100 0 14,2 0.3 14,2 0.3 Internal Certified Gold	130mm Yes -175/175 -5/25 4,51 490 × 455 × 202 mm 490 × 296 × 45 mm 100×100 0 0 10.5 <0.5 <0.3 Internal 7 Gold	130mm Yes -175/175 -5/25 4,5 490 × 455 × 202 mm 490 × 296 × 45 mm 100×100 0 0 12,3 <0.5 <0.3 Internal 7 Gold	130mm Yes -175/175 -5/25 4,65 490 × 455 × 202 mm 490 × 296 × 45 mm 100×100 00 100×100 0 12,5 <0.5 <0.3 Internal 7 Gold
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree) Tilt (degree) Weight with stand (kg) Dimension with stand WxHxD (mm) Dimension without stand WxHxD (mm) VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W) Off mode (W) Power supply Power supply Power supply TCO EPEAT Energy Star WHAT'S IN THE BOX Power cable included	0 0 -5/25 2,8 504 x 395 x 208 mm 504 x 304 x 47 mm 100x100 0 14,2 <0.3 <0.3 Internal Certified Gold 7	130mm Yes -175/175 -5/25 4,51 490 × 455 × 202 mm 490 × 296 × 45 mm 100×100 0 0 10.05 -0.5 <0.5 <0.3 Internal 7 Gold	130mm Yes -175/175 -5/25 4,5 490 × 455 × 202 mm 490 × 296 × 45 mm 100×100 0 0 12,3 <0.5 <0.3 Internal 7 Gold	130mm Yes -175/175 -5/25 4,65 490 × 455 × 202 mm 490 × 296 × 45 mm 100×100 00 100×100 0 12,5 <0.5 <0.3 Internal 7 Gold
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree) Tilt (degree) Weight with stand (kg) Dimensions with stand WxHxD (mm) Dimensions with stand WxHxD (mm) VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W) Off mode (W) Off mode (W) Power supply APPROVALS TCO EPEAT Energy Star WHAT'S IN THE BOX Power cable included VGA cable included	0 0 -5/25 2,8 504 x 395 x 208 mm 504 x 304 x 47 mm 100x100 0 14.2 <0.3 <0.3 Internal Certified Gold 7 1	130mm Yes -175/175 -5/25 4,51 490 × 455 × 202 mm 490 × 296 × 45 mm 100×100 0 0 10.05 -0.5 <0.5 <0.3 Internal 7 Gold	130mm Yes -175/175 -5/25 4,5 490 × 455 × 202 mm 490 × 296 × 45 mm 100×100 0 0 12,3 <0.5 <0.3 Internal 7 Gold	130mm Yes -175/175 -5/25 4,65 490 × 455 × 202 mm 490 × 296 × 45 mm 100×100 00 100×100 0 12,5 <0.5 <0.3 Internal 7 Gold
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree) Tilt (degree) Weight with stand (kg) Dimension with stand WXHXD (mm) Dimension with stand WXHXD (mm) VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W) Off mode (W) Off mode (W) Off mode (W) Power supply APPROVALS TCO EPEAT Energy Star WHAT'S IN THE BOX Power cable included VGA cable included	0 0 -5/25 2,8 504 × 395 × 208 mm 504 × 304 × 47 mm 100×100 0 14,2 <0.3 <0.3 <0.3 Internal Certified Gold 7 1 1 0	130mm Yes -175/175 -5/25 4.51 490 x 455 x 202 mm 490 x 296 x 45 mm 100x100 0 12,5 <0.5 <0.5 <0.5 <0.3 Internal 7 Gold 7 1 1 0	130mm Yes -175/175 -5/25 4.5 490 x 455 x 202 mm 490 x 296 x 45 mm 100x100 0 100x100 0 12,3 <0.5 <0.3 Internal 7 Gold 7 1 1	130mm Yes -175/175 -5/25 4,65 490 × 455 × 202 mm 490 × 296 × 45 mm 100×100 0 100×100 0 100×100 7 Gold 7 Gold 7 1 1
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree) Tilt (degree) Weight with stand (kg) Dimension with stand WxHxD (mm) Dimension without stand WxHxD (mm) VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W) Off mode (W) Power supply APPROVALS TCO EPEAT Energy Star WHAT'S IN THE BOX Power cable included VGA cable included HDMI cable included	0 0 -5/25 2,8 504 x 395 x 208 mm 504 x 304 x 47 mm 100x100 0 14,2 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.	130mm Yes -175/175 -5/25 4,51 490 x 455 x 202 mm 490 x 296 x 45 mm 100x100 0 100x100 0 12,5 <0.5 <0.3 Internal 7 Gold 7 1 1	130mm Yes -175/175 -5/25 4.5 4.9 4.9 2.3 4.9 2.3 -0.5 -0.3 Internal 7 Gold 7 1 1 1 0 0 1	130mm Yes -175/175 -5/25 4,65 490 × 455 × 202 mm 490 × 296 × 45 mm 100×100 0 100×100 0 100×100 7 Gold 7 Gold 7 1 1
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree) Tilt (degree) Weight with stand (kg) Dimensions with stand WxHxD (mm) Dimensions with stand WxHxD (mm) VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W) Off mode (W) Power supply APPROVALS TCO EPEAT Energy Star WHAT'S IN THE BOX Power cable included VGA cable included DVI cable included HDMI cable included	0 0 -5/25 2,8 504 x 395 x 208 mm 504 x 305 x 208 mm 100x100 0 100x100 0 14,2 <0.3 <0.3 internal Certified Gold 7 1 1 0 0 1 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0	130mm Yes -175/175 -5/25 4,51 490 x 455 x 202 mm 490 x 296 x 45 mm 100x100 0 100x100 0 12,5 <0.5 <0.3 Internal 7 Gold 7 1 1 0 0 0 1	130mm Yes -175/175 -5/25 4,5 490 × 455 × 202 mm 490 × 296 × 45 mm 100x100 0 12,3 <0.5 <0.3 Internal 7 Gold 7 1 1 0 1 0 1 0 1 0 1 0 1 0 1 0	130mm Yes -175/175 -5/25 4,65 490 × 455 × 202 mm 490 × 296 × 45 mm 100×100 0 100×100 0 100×100 7 Gold 7 Gold 7 1 1
Smart Ergo Base Height adjustment (mm) Pivot (90 degree) Swivel (degree) Tilt (degree) Weight with stand (kg) Dimension with stand WXHXD (mm) Dimension with stand WXHXD (mm) VESA mount (mm) ENERGY EFFICIENCY Power Sensor On mode (W) Standby mode (W) Off mode (W) Off mode (W) Off mode (W) Power supply APPROVALS TCO EPEAT Energy Star WHAT'S IN THE BOX Power cable included VGA cable included	0 0 -5/25 2,8 504 x 395 x 208 mm 504 x 304 x 47 mm 100x100 0 14,2 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.3 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.	130mm Yes -175/175 -5/25 4.51 490 x 455 x 202 mm 490 x 296 x 45 mm 100x100 0 12,5 <0.5 <0.5 <0.5 <0.3 Internal 7 Gold 7 1 1 0	130mm Yes -175/175 -5/25 4.5 4.9 4.9 2.3 4.9 2.3 -0.5 -0.3 Internal 7 Gold 7 1 1 1 0 0 1	130mm Yes -175/175 -5/25 4,65 490 x 455 x 202 mm 490 x 296 x 45 mm 100x100 0 100x100 0 100x100 7 Gold 7 Gold 7 1 1

19"

1954QAB	17S4LSB
19 inch / 48 cm	17 inch / 43 cm
ADS	TN
WLED	WLED
1280x1024@60Hz	1280x1024@60Hz
5:4	5:4
178/178 250	170/160 250
1000:1	1000:1
20M:1	20M:1
5	5
0.293 x 0.293	0.264 x 0.264
0	0
0	0
1	1
0	0
0	0
0	0
0	0
Yes	0
Yes	0
Yes	0
0	0
Yes	Yes
0	0
0	0
0	
0	0
0	0
0 0	0 0
0 0 0	0 0 0
0 0 0 0	0 0 0 0
0 0 0 0 -5/20	0 0 0 0 0
0 0 0 -5/20 3,2	0 0 0 0 0 3,54
0 0 0 -5/20 3,2 404 x 194 mm	0 0 0 0 0 3.54 367 x 393 x 194 mm
0 0 0 -5/20 3,2 404 x 418 x 194 mm 404 x 346 x 61 mm	0 0 0 0 3,54 367 x 393 x 194 mm 367 x 319 x 65 mm
0 0 0 -5/20 3,2 404 x 194 mm	0 0 0 0 0 3.54 367 x 393 x 194 mm
0 0 0 -5/20 3,2 404 x 418 x 194 mm 404 x 346 x 61 mm 100x100	0 0 0 3,54 367 x 393 x 194 mm 367 x 319 x 65 mm 100x100
0 0 0 -5/20 3.2 404 x 418 x 194 mm 404 x 346 x 61 mm 100x100 0	0 0 0 0 3,54 3,67 x 393 x 194 mm 367 x 319 x 65 mm 100x100 0
0 0 0 -5/20 3,2 404 x 418 x 194 mm 404 x 346 x 61 mm 100x100 0 16,2	0 0 0 0 3,54 367 x 393 x 194 mm 367 x 319 x 65 mm 100x100 0 11,9
0 0 0 -5/20 3,2 404 x 418 x 194 mm 404 x 346 x 61 mm 100x100 0 16,2 <0,3	0 0 0 0 3,54 367 x 393 x 194 mm 367 x 393 x 194 mm 100x100 0 1,9 0,2
0 0 0 -5/20 3,2 404 x 418 x 194 mm 404 x 346 x 61 mm 100x100 0 16,2 <0.3 <0.3	0 0 0 0 0 3,54 367 x 393 x 194 mm 367 x 319 x 65 mm 100x100 0 11,9 0,2 0,2
0 0 0 -5/20 3,2 404 x 418 x 194 mm 404 x 346 x 61 mm 100x100 0 16,2 <0,3	0 0 0 0 3,54 367 x 393 x 194 mm 367 x 393 x 194 mm 100x100 0 1,9 0,2
0 0 0 -5/20 3,2 404 x 418 x 194 mm 404 x 346 x 61 mm 100x100 0 16,2 <0.3 <0.3	0 0 0 0 0 3,54 367 x 393 x 194 mm 367 x 319 x 65 mm 100x100 0 11,9 0,2 0,2
0 0 0 -5/20 3,2 404 x 418 x 194 mm 404 x 346 x 61 mm 100x100 0 16,2 <0.3 <0.3 Internal	0 0 0 0 3,54 367 x 393 x 194 mm 367 x 319 x 65 mm 100x100 0 11,9 0,2 0,2 1,2 11,9 0,2 0,2 11,9 1,9 1,9 1,9 1,9 1,9 1,9 1,
0 0 0 -5/20 3,2 404 x 418 x 194 mm 404 x 346 x 61 mm 100x100 0 16,2 <0.3 <0.3 Internal 7 Gold	0 0 0 0 3.54 367 x 393 x 194 mm 367 x 393 x 194 mm 100x100 0 1,9 0,2 0,2 0,2 1,9 6
0 0 0 -5/20 3,2 404 x 418 x 194 mm 404 x 346 x 61 mm 100x100 0 16,2 <0,3 <0,3 Internal 7	0 0 0 0 0 3,54 367 x 393 x 194 mm 367 x 319 x 65 mm 100x100 0 11,9 0,2 0,2 11,9 0,2 1,2 10ternal 6 Gold
0 0 0 -5/20 3,2 404 x 418 x 194 mm 404 x 346 x 61 mm 100x100 0 16,2 <0.3 <0.3 Internal 7 Gold	0 0 0 0 0 3,54 367 x 393 x 194 mm 367 x 319 x 65 mm 100x100 0 11,9 0,2 0,2 11,9 0,2 1,2 10ternal 6 Gold
0 0 0 -5/20 3.2 404 x 418 x 194 mm 404 x 346 x 61 mm 100x100 0 16,2 <0.3 <0.3 Internal 7 Gold 7	0 0 0 0 0 3,54 367 x 393 x 194 mm 367 x 319 x 65 mm 100x100 0 11,9 0,2 0,2 1,9 1,9 0,2 0,2 1,9 0,2 0,2 1,9 0,2 0,2 1,9 0,2 0,2 0,2 0,2 0,2 0,2 0,2 0,2
0 0 0 -5/20 3,2 404 x 418 x 194 mm 404 x 346 x 61 mm 100x100 0 16,2 <0.3 <0.3 Internal 7 Gold 7 1	0 0 0 0 0 0 3,54 367 x 393 x 194 mm 367 x 393 x 194 mm 367 x 319 x 65 mm 100x100 0 11.9 0.2 0.2 11.9 0.2 0.2 Internal 6 Gold 6 1
0 0 0 -5/20 3.2 404 x 418 x 194 mm 404 x 346 x 61 mm 100x100 0 16.2 <0.3 Internal 7 Gold 7 1 1 1	0 0 0 0 0 3.54 367 x 393 x 194 mm 367 x 319 x 65 mm 100x100 0 11.9 0,2 0,2 11.9 0,2 1.2 Internal 6 6 6 6 1 1
0 0 0 -5/20 3,2 404 x 418 x 194 mm 404 x 346 x 61 mm 100x100 0 16,2 <0.3 10,3 10,3 11,1 7 Gold 7 1 1 0	0 0 0 0 0 3,54 367 × 393 × 194 mm 367 × 393 × 194 mm 367 × 319 × 65 mm 100×100 0 11,9 0,2 11,9 0,2 1,19 6 6 6 1 1 1 0
0 0 0 -5/20 3.2 404 x 418 x 194 mm 404 x 346 x 61 mm 100x100 0 16,2 <0.3 <0.3 Internal 7 Gold 7 1 1 0 0 0	0 0 0 0 0 3,54 367 x 393 x 194 mm 367 x 319 x 65 mm 100x100 0 11,9 0,2 0,2 1,9 0,2 1,9 0,2 1,9 0,2 1,9 0,2 0,2 1,9 0,2 1,9 0,2 0,2 1,9 0,2 1,9 0,2 0,2 1,9 1,9 1,9 1,9 1,9 1,9 1,9 1,9
0 0 0 -5/20 3,2 404 x 418 x 194 mm 404 x 346 x 61 mm 100x100 0 16,2 <0.3 <0.3 <10,2 <0.3 <10,2 <0.3 <10,2 <10,2 <10,3 <10,2 <10,3 <10,2 <10,3 <10,2 <10,3 <10,2 <10,3 <10,2 <10,3 <10,3 <10,2 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,3 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5 <10,5	0 0 0 0 0 3,54 367 x 393 x 194 mm 367 x 319 x 65 mm 100x100 0 10 10 0 10 10 6 6 6 6 6 6 1 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0

	32"	27"	27"	27"	27"
		-		-	
MODEL NUMBER	328860 IEB	272B8QJEB	271B8QJKEB	271B8QJEB	272B7QUPBEB
Screen size	32 inch / 80,1 cm	27 inch / 68,6 cm	27 inch / 68,6 cm	27 inch / 68,6 cm	27 inch / 68,6 cm
PICTURE / DISPLAY					
LCD Panel type	IPS	IPS tech.	IPS	IPS	IPS
Backlighting	WLED	WLED	WLED	WLED	WLED
Optimum resolution	2560x1440@60Hz	2560x1440@60Hz	1920x1080@60Hz	1920x1080@60Hz	2560 x 1440 @ 60Hz
Aspect ratio	16:9	16:9	16:9	16:9	16:9
Viewing angle (CR10)	178/178	178/178	178/178	178/178	178/178
Brightness (cd/m ²)	250	250	250	250	350
Contrast ratio (typical)	1200:1	1000:1	1000:1	1000:1	1000:1
Smart Contrast ratio	50M:1	20M:1	50M:1	50M:1	50M:1
Smart Response time	5	5	5	5	5
Pixel pitch (mm)	0.2727 x 0.2727	0.233 x 0.233	0.311 x 0.311	0.311 x 0.311	0.233 x 0.233
Colour Gamut	110%/128%	0	0	0	114%/132%
CONNECTIVITY					
VGA	1	1	0	1	0
DVI	1	0	0	0	0
HDMI	1	1	1	1	1
Display Port	1	1	0	1	1
USB	4	4	4	4	3
PC audio-in	Yes	Yes	Yes	Yes	0
Headphones out	Yes	Yes	Yes	Yes	Yes
FEATURES					
Speakers	Yes	Yes	Yes	Yes	Yes
Webcam 2mp / microphone	0	0	Pop-up 2.0 megapixel FHD camera with microphone and LED	0	0
			indicator		
Smart Control software	Yes	Yes	Yes	Yes	Yes
Multi view	Yes	0	0	0	0
Blue mode	0	LowBlue	LowBlue	LowBlue	LowBlue
FlickerFree	0	Yes	0	Yes	0
PHYSICAL SPECS/ERGONOMICS					
Smart Ergo Base	Yes	Yes	Yes	Yes	Yes
Height adjustment (mm)	180mm	130mm	150mm	130mm	150mm
Pivot (90 degree)	Yes	Yes	Yes	Yes	Yes
Swivel (degree)	-170/170	-175/175	-175/175	-175/175	-175/175
Tilt (degree)	-5/20	-5/30	-5/30	-5/30	-5/30
Weight with stand (kg)	9,5	6,9	6,91	6,76	7,38
Dimensions with stand WxHxD (mm)	742 x 657 x270 mm	625 x 530 x 224 mm	625 x 552 x 224 mm	625 x 530 x 224 mm	614 x 548 x 257 mm
Dimension without stand WxHxD (mm)	742 x 438 x 63 mm	625 x 370 x 51 mm	625 x 370 x 51 mm	625 x 370 x 51 mm	614 x 372 x 56 mm
VESA mount (mm) ENERGY EFFICIENCY	100×100	100×100	100×100	100×100	100×100
Power Sensor On mode (W)	0 37	0 20,5	0	0 17,4	Yes 24
On mode (W) Standby mode (W)	<0.5	<0.5	<0.5	<0.5	<0.5
		<0.5 Zero watts with Zero	<0.5 Zero watts with Zero		<0.5 Zero watts with Zero
Off mode (W)	0	switch	switch	<0.3	switch
Power supply	Internal	Internal	Internal	Internal	Internal
APPROVALS					
TCO	Certified	Edge	Edge	Edge	Edge
EPEAT	Gold	Gold	Yes	Gold	Gold
Energy Star	7	7	7	7	7
WHAT'S IN THE BOX					
Power cable included	1	1	1	1	1
VGA cable included	1	1	0	1	0
DVI cable included	1	0	0	0	0
HDMI cable included	1	1	0	1	1
DisplayPort cable included	1	1	0	1	1
Audio cable included	1	1	0	1	0
USB cable included	USB-C cable to A cable.	0	0	0	USB-C to C cable, USB-C to A cable

27"	27"	27"	25"	25"	24"
272B7QUBHEB 27 inch / 68,6 cm	272B7QPTKEB 27 inch / 68,6 cm	272B7QPJEB 27 inch / 68,6 cm	252B9 25 inch / 63,4 cm	258B6QUEB 25 inch / 63,4 cm	240B7QPTEB 24 inch / 61 cm
27 Inch / 66,6 Chi	27 inch / 66,6 cm	27 Inch / 00,0 cm	25 Inch / 65,4 cm	25 Inch / 65,4 cm	24 Inch / 61 cm
IPS	IPS	IPS	IPS	IPS	IPS
WLED	WLED	WLED	WLED	WLED	WLED
2560 x 1440 @ 60Hz	2560x1440@60Hz	2560x1440@60Hz	1920x1200@60Hz	2560x1440@60Hz	1920x1200@60Hz
16:9	16:9	16:9	16:10	16:9	16:10
178/178	178/178	178/178	178/178	178/178	178/178
350	350	350	300	350	300
1000:1	1000:1	1000:1	1000:1	1000:1	1000:1
50M:1	20M:1	20M:1	50M:1	20M:1	20M:1
5	5	5	5	5	5
TBC	0.233 x 0.233	0.233 x 0.233	0.279 x 0.282	0.216 x 0.216	0.27 x 0.27
114%/132%	0	0	90%/107.5%	0	0
0	1	1	0	1	1
0	0	0	0	1	0
1	1	1	1	1	1
0	1	1	0	0	1
4	3	2	4	3	4
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
Pop-up 2.0 megapixel FHD camera with microphone					
and LED indicator	Yes	0	0	0	0
(Windows 10 Hello) TBC	Yes	Yes	Yes	Yes	Yes
TBC	0	0	0	0	0
0	LowBlue	LowBlue	LowBlue	0	LowBlue
0	0	0	0	0	0
-		-	-		-
Yes	Yes	Yes	Yes	Yes	Yes
150mm	150mm	130mm	150mm	130mm	150mm
Yes	Yes	Yes	Yes	Yes	Yes
-175/175	-175/175	-175/175	-175/175	-65/65	-175/175
-5/30	-5/30	-5/20	-5/30	-5/20	-5/30
TBC	7,86	7,86	5,09	7	6,57
TBC	614 x 548 x 257 mm	614 x 548 x 257 mm	546 x 541 x 206 mm	571 x 511 x 244 mm	533 x 549 x 257 mm
TBC	614 x 372 x 56 mm	614 x 372 x 56 mm	546 x 367 x 49 mm	571 x 344 x 55 mm	533 x 360 x 57 mm
100×100	100x100	100x100	100×100	100x100	100×100
Yes	Yes	Yes	Yes	0	Yes
TBC	24,1	24,1	15	<23	16,1
TBC	<0.3	<0.3	<0.5	<0.5	<0.3
TBC	Zero watts with Zero switch	Zero watts with Zero switch	Zero watts with Zero switch	<0.3	Zero watts with Zero switch
Internal+DC-out	Internal	Internal	Internal	External	Internal
TBC	6	6	Certified	6	Edge
TBC	Gold	Gold	Yes	Gold	Gold
TBC	7	7	7	7	7
	1	1	1	1	1
1			0	1	1
0	1	1			
0 0	1 0	1 0	0	1	0
0 0 0	1 0 1	1 0 1	0	1 0	0
0 0 0	1 0 1 1	1 0 1 1	0 0 0	1 0 0	-
0 0 0	1 0 1 1 1 USB-C to A cable	1 0 1 1 1	0	1 0 0 1	0

Screen size 24 linch / 61 cm 24 linch / 61 cm 24 linch / 61 cm 23 linch / 60 PICTURE / DISPLX IPS TN TN TN IPS IPS LCD Panel type IPS TN TN IPS IPS IPS Backlighting WLED		24"	24"	24"	24"	24"
PICTURE / DISPLAY IN IN IN IN INS INS LCD Panel (space) WLED WLED <th>MODEL NUMBER</th> <th></th> <th>241B4LPYCS</th> <th></th> <th>240B4QPYEB</th> <th></th>	MODEL NUMBER		241B4LPYCS		240B4QPYEB	
LCD Panel typeIPSTNTNIPSIPSDetailingtingWLEDWLEDWLEDWLEDWLEDWLEDWLEDWLEDOptimum resultation1920/0500260121920/0500260121920/0500260121920/0500260121920/0500260121920/0500260121920/0500260121920/0500260121920/0500260121920/0500260121920/0500260121920/0500260121920/0500260121920/0500260121920/0500260121920/0500260122502502502502502502501200/0500260121920/0500260122000/011920/0500260122000/011920/0500260122000/011920/0500260122000/011920/0500260122000/011920/0500260122000/01200		24 inch / 61 cm	24 inch / 61 cm	24 inch / 61 cm	24 inch / 61 cm	23,8 inch / 60,5 cm
backgroup parterWLED <t< td=""><td></td><td>100</td><td>The</td><td></td><td>100</td><td>100</td></t<>		100	The		100	100
Optimum sculationN20A002060HzN20A0020N20A002060HzN20A0020N20A002060HzN20A002060HZN20A002060HZN20A002060HZN20A002060HZN20A002060HZN20A002060HZN20A0020FZN20A002FZN20A002FZ<						
Appendiam160160160160160160160Verong angle (CHO)174/78170/160170/160170/160170/160170/160170/160170/160170/160170/160170/160170/160170/160170/160170/160170/170170/						
Name instructionTAVIRETAVIR		-				
Bighness300300300300300300300Contrast ate loyce10001000100010001000100010001Smart Response time5555555Dest pith firminy0.27 x 0.270.275 x 0.2760.275 x 0.2760.275 x 0.2750.275 x 0.						
Constraine byperalp10001000110001 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td></t<>						
Smart Response smart Response<						
Smart Response time5555Pixelpitch (mm)0.27 x 0.270.276 x 0.2760.276 x 0.2760.270 x 0.2700.275 x 0.275Colva Canut0000000ConterturityI110000Conterturity011100						
Pixel primmQ2X Q27Q26 x Q276Q20 x Q270Q20 x Q270Q275 x Q275Colur Gama000 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td></t<>						
Colument00000CONNECTVPIIIIIIVAA111IIIIID'I01II </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
CONNECTIVIY Image: style s						
NAA111110DY0000000Display Port10000000Display Port100 <t< td=""><td></td><td>-</td><td></td><td>-</td><td></td><td>-</td></t<>		-		-		-
DVI001100000HDMI100		1	1	1	1	0
HDMI100001Display Port100<			1	1	1	
Display Port1100000US2222222PC aulo-inVesVesVesVesVesVesVesHeadphones outVesVesVesVesVesVesVesFATUREImage: Constraint of the set of the			0	0	0	1
JLS2222222PCadlo ⁻ⁱⁿ YesYesYesYesYesYesYesPEALOSYesYesYesYesYesYesYesSpeakersVesYesYesYesYesYesYesSpeakersVesYesYesYesYesYesYesYesWebcam2mp /microphone0000000Yes <td></td> <td></td> <td></td> <td>0</td> <td></td> <td>0</td>				0		0
PC auto-in Headphones outYesYesYesYesYesYesFATURETIn<						
Headphones outYesYesYesYesFEATURESYesYesYesYesYesSpeakersYesYesYesYesYesYesWebcam 2mp / microphone0000000Smart Control softwareYesYesYesYesYesYesYesMulti view00<			Yes	Yes		
SpeakerYesYesYesYesYesYesWebcan2pp / microphone000	Headphones out	Yes	Yes	Yes	Yes	Yes
SpeakerYesYesYesYesYesWebcan2mp/microphone00 <td>FEATURES</td> <td></td> <td></td> <td></td> <td></td> <td></td>	FEATURES					
Smart Control software Yes Yes Yes Yes Multi view 0 0 0 0 0 0 Blue mode LowBlue 0 0 0 0 0 Blue mode LowBlue 0 0 0 0 0 FlickerFree 0 0 0 0 0 0 Smart Ergo Base Yes Yes Yes Yes 0 0 0 0 Synth Ergo Base Yes Yes Yes Yes 0 </td <td></td> <td>Yes</td> <td>Yes</td> <td>Yes</td> <td>Yes</td> <td>Yes</td>		Yes	Yes	Yes	Yes	Yes
Multi view000000Blue modeLowBlue000 <t< td=""><td>Webcam 2mp / microphone</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></t<>	Webcam 2mp / microphone	0	0	0	0	0
Multi view000000Blue modeLowBlue000 <t< td=""><td>Smart Control software</td><td>Yes</td><td>Yes</td><td>Yes</td><td>Yes</td><td>Yes</td></t<>	Smart Control software	Yes	Yes	Yes	Yes	Yes
Blue modeLowBlue00000FlickerFree0000000PWSICAL SPECS/ERCONOMICSFesYes </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
FlickerFree000000PHYSICAL SPECS/ERGONOMICSVesVesVesVesVesVesSmatt Ergo BaseYesVesVesYesVesVesHeight adjustment (nm)130mm110mm110mm130mm63Pivot (90 degree)YesYesYesVes0Swivel (degree)-175/175-65/65-65/65-65/65-65/65Tilt (degree)-5/20-5/20-5/20-5/20-5/90Weight with stand (kg)6,375,35,35,36,98,15Dimension with stand WxHxD (nm)533 x 360 x 57 nm565 x 514 x 227 nm555 x 560 x 244 nm554 x 134 x 227Dimension with stand WxHxD (nm)100x100100x100100x100100x100100x100100x100Power SensorYesYesYesYes0100x100100x100100x100100x100Power SensorYesYesYesYesYes0100x100 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td></td<>						
PHYSICAL SPECS/ERCONOMICS Ves Ves Ves Ves Ves Smart Ergo Base Yes Yes Yes Yes Yes Yes Height adjustment (mm) 130mm 110mm 110mm 130mm 63 Pivot (90 degree) Yes Yes Yes Yes 0 Swivel (degree) -175/175 -65/65 -65/65 -65/65 0 Tilt (degree) -5/20 -5/20 -5/20 -5/20 -5/20 -5/20 Dimensions with stand WxHxD (mm) 533 x 514 x 257 mm 565 x 514 x 227 mm 565 x 514 x 227 mm 555 x 550 x 244 mm 554 x 143 x 22 Dimension with stand WxHxD (mm) 533 x 360 x 57 mm 565 x 353 x 61 mm 555 x 353 x 65 mm 554 x 143 x 22 Dimension without stand WxHxD (mm) 100x100						
Smart Ergo Base Yes Yes Yes Yes Helght adjustment (nm) 130mn 110mm 100mn 130mn 63 Pivot (90 degree) Yes Yes Yes Yes 0 Swiled (degree) -175/175 -55/55 -65/65 -65/65 0 0 Tilt (degree) -5/20<						
Height adjustment (mm)130mm130mm130mm130mm63Pivet (old orgere)YesYesYesOSwivel (degree)-175/75-56/55-65/50-56/500Tilt (degree)-5/20-5/20-5/20-5/20-5/20Weight with stand (kg)6375.35.35.36.98,15Dimensions with stand WxHxD (mm)533 x 360 x 57 mm565 x 353 x 61 mm555 x 550 x 244 mm554 x 134 x 22Dimensions with stand WxHxD (mm)533 x 360 x 57 mm565 x 353 x 61 mm555 x 358 x 65 mm555 x 358 x 65 mmVESA mount (mm)100xl00100xl00100xl00100xl00100xl00100xl00ENERCY EFFICIENCYVesNemo0100xl00100xl00100xl00100xl00100xl00100xl00Fore SensorYesYesYes900		Yes	Yes	Yes	Yes	Yes
Pixet (90 degree) Yes Yes Yes Yes O Swikel (degree) -175/75 -65/65 -65/65 -65/65 0 0 Tilt (degree) -5/20						
Tilt (degre) -5/20 -5/20 -5/20 -5/20 -5/20 Weight with stand (kg) 6,37 5,3 5,3 6,9 8,15 Dimensions with stand WxHxD (m) 533 x 514 x 257 mm 565 x 514 x 227 mm 555 x 550 x 244 mm 554 x 143 x 22 Dimensions with stand WxHxD (m) 533 x 360 x 57 mm 565 x 533 x 61 mm 555 x 530 x 244 mm 554 x 143 x 22 VESA mount (mm) 100x100 100x100 100x100 100x100 100x100 100x100 ENERGY EFFCIENCY Ves Ves Yes 0 0 0 On mode (W) 15,5 5,3 16,34 18,3 162 0		Yes	Yes	Yes	Yes	0
Weight with stand (kg) 6,37 5,3 5,3 6,9 8,15 Dimensions with stand WxHxD (mm) 533 x 564 x 257 mm 555 x 514 x 227 mm 555 x 550 x 244 mm 554 x 143 x 22 Dimension without stand WxHxD (mm) 533 x 360 x 57 mm 565 x 353 x 61 mm 555 x 358 x 65 mm 555 x 388 x 65 mm 554 x 133 x 20 VESA mount (mm) 100x100 100x10 100x10 <td>Swivel (degree)</td> <td>-175/175</td> <td>-65/65</td> <td>-65/65</td> <td>-65/65</td> <td>0</td>	Swivel (degree)	-175/175	-65/65	-65/65	-65/65	0
Dimensions with stand WxHxD (mm) 533 x 514 x 257 mm 565 x 514 x 227 mm 565 x 514 x 227 mm 555 x 550 x 244 mm 554 x 134 x 227 Dimension without stand WxHxD (mm) 533 x 360 x 57 mm 565 x 353 x 61 mm 565 x 353 x 61 mm 555 x 388 x 65 mm 555 x 388 x 65 mm 555 x 388 x 65 mm 556 x 333 x 60 mm 100x100 100x10 <		-5/20	-5/20	-5/20	-5/20	-5/90
Dimension without stand WxHxD (mm) $533 \times 360 \times 57 \text{ mm}$ $565 \times 353 \times 61 \text{ mm}$ $555 \times 388 \times 65 \text{ mm}$ $554 \times 338 \times 50 \text{ mm}$ $555 \times 388 \times 65 \text{ mm}$ $556 \times 383 \times 61 \text{ mm}$ 100×100 $100 \times 100 \times 100 \times 100$ $100 \times 100 \times 100 \times 100 \times 100$ $100 \times 100 \times 100 \times 100 \times 100 \times 100$ $100 \times 100 $	Weight with stand (kg)	6,37	5,3	5,3	6,9	8,15
VESA mount (mm) 100x100 100x10 100x100 100x10 100x100	Dimensions with stand WxHxD (mm)	533 x 514 x 257 mm	565 x 514 x 227 mm	565 x 514 x 227 mm	555 x 550 x 244 mm	554 x 143 x 227 mm
ENERGY EFFICIENCY Ves ves ves ves ves 0 Power Sensor Yes Yes Yes Yes 0 On mode (W) 15,5 5,3 16,34 18,3 TBC Standby mode (W) <0.3	Dimension without stand WxHxD (mm)	533 x 360 x 57 mm	565 x 353 x 61 mm	565 x 353 x 61 mm	555 x 388 x 65 mm	554 x 338 x 50 mm
Power Sensor Yes Yes Yes Yes Yes O On mode (W) 15,5 5,3 16,34 18,3 TBC Standby mode (W) 0.3 0,1 0,1 0.3 0.5 Off mode (W) $\sqrt{3}$ 0,1 0.1 0.3 0.5 Off mode (W) Zero watts with Zero 0 0 0 0.3 0.5 Off mode (W) Internal Internal Internal Internal Internal External Power suply Internal Internal Internal Internal External APPROVALS F 6 6 6 Edge EPEAT Gold Gold Gold Gold Yes Energy Star 7 7 7 7 7 Power sable Included 1 1 1 0 1 VFACTS T I 1 0 1 1 Visid Stand included <		100x100	100x100	100x100	100×100	100×100
On mode (W) 15,5 5,3 16,34 18,3 TBC Standby mode (W) ~ 0.3 $0,1$ $o,1$ ~ 0.3 < 0.5 Off mode (W) Zero watts with Zero switch 0 0 0 0.3 < 0.5 Power supply Internal Internal Internal Internal Internal Edge APPROVALS Internal Internal Internal Internal Edge Edge CO 6 6 6 6 Edge Edge<						
Standby mode (W) <0.3 <0.1 0.1 <0.3 <0.5 Off mode (W) Zero wats with Zero witch 0 0 0 <0.3						
Off mode (W) Žero vatiš with Žero switch 0 0 0 <0.3 Power supply Internal Internal Internal Internal Internal External APPROVLS Internal Internal Internal Internal External TCO 6 6 6 Edge E EPEAT Gold Gold Gold Gold Yes Power sube Included 7 7 7 7 7 Power sube Included 1 1 1 1 1 VMATS IN THE BOX Internal 1 1 1 1 VGA cable Included 1 1 1 0 0 DVI cable Included 0 0 0 0 0 0 DisplayPort cable Included 1 0 0 0 0 0						
Of Index(W) switch O O O O O O Power supply Internal	Standby mode (W)					<0.5
Power supply Internal Internal Internal Internal Internal External APPEXVLS F	Off mode (W)	Zero watts with Zero switch	0	0	0	<0.3
APPROVALS Image: Constraint of the image: Constraint of	Power supply		Internal	Internal	Internal	External
EPEAT Gold Gold Gold Gold Yes Energy Star 7 7 7 7 7 WHAT'S IN THE BOX 7 7 7 7 7 Power cable included 1 1 1 1 1 YGA cable included 1 1 1 0 0 DVI cable included 0 1 1 0 0 DVI cable included 0 0 0 0 0 0 DVI cable included 0 0 0 0 0 0 0 Jbjalayon Lable included 1 0 0 0 0 0 0 Jbjalayon Lable included 1 1 1 0 0 0 0	APPROVALS					
Energy Star 7 7 7 7 7 WHATS IN THE BOX Image: Constraint of the start of the s	TCO	6	6	6	6	Edge
WHAT'S IN THE BOX Image: Figure 1 Figure 2 Figur	EPEAT	Gold	Gold	Gold	Gold	Yes
Power cable included 1 1 1 1 VGA cable included 1 1 1 0 DVI cable included 0 1 1 0 DVI cable included 0 1 1 0 DVI cable included 0 0 0 0 Dyby able included 0 0 0 0 DisplayPort cable included 1 0 0 0 Audio cable included 1 1 0 0		7	7	7	7	7
VGA cable included 1 1 1 0 DVI cable included 0 1 1 0 HDM cable included 0 0 0 0 IpsiayPort cable included 1 0 0 0 Audio cable included 1 1 1 0						
DVI cable included 0 1 1 0 HDMI cable included 0 0 0 0 0 DisplayPort cable included 1 0 0 0 0 0 Audio cable included 1 1 1 0 0 0			1	1	1	1
HDMI cable included 0 0 0 0 DisplayPort cable included 1 0 0 0 0 Audio cable included 1 1 1 0 0			1	1	1	-
DisplayPort cable included 1 0 0 0 Audio cable included 1 1 1 0			1	1	1	
Audio cable included 1 1 1 1 0				0	-	
			-	0	-	
USB cable included 0 0 0 0 0 0				1		
	USB cable included	0	0	0	0	0

24"	24"	24"	24"	24"	24"
241B8QJEB 23,8 inch / 60,5 cm	241B7QUPEB 23,8 inch / 60,5 cm	241B7QUPBEB 23,8 inch / 60,5 cm	241B7QUBHEB 23,8 inch / 60,5 cm	241B7QPTEB 23.8 inch / 60.5 cm	241B7QPJKEB 23,8 inch / 60,5 cm
IPS	IPS	IPS	IPS	IPS	IPS
WLED	WLED	WLED	WLED	WLED	WLED
1920x1080@60Hz	1920x1080@60Hz	1920x1080@60Hz	1920x1080@60Hz	1920x1080@60Hz	1920x1080@60Hz
16:9	16:9	16:9	16:9	16:9	16:9
178/178	178/178	178/178	178/178	178/178	178/178
250	250	250	250	250	250
1000:1	1000:1	1000:1	1000:1	1000:1	1000:1
20M:1	20M:1	20M:1	20M:1	20M:1	20M:1
5	5	5	5	5	5
0.275 x 0.275	0.275 x 0.275	0.275 x 0.275	0.275 x 0.275	0.275 x 0.275	0.275 x 0.275
0	0	0	0	sRGB	0
1	1	0	0	1	1
0	0	0	0	0	0
1	0	1	1	1	1
1	0	0	0	1	1
4	2	2	4	USB3.0 x 4	1
Yes	Yes	Yes	Yes	Yes	Yes
Yes	0	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes
0	0	0	Pop-up 2.0 megapixel FHD camera with microphone and LED indicator (Windows 10 Hello)	0	Yes
Yes	Yes	Yes	0	0	Yes
0	0	0	0	0	0
LowBlue	LowBlue	LowBlue	0	Low Blue	LowBlue
0	0	0	0	Yes	0
Yes	Yes	Yes	Yes	N/	
		Tes		Yes	Yes
150mm	150mm	150mm	150mm	150mm	130mm
Yes	150mm Yes	150mm Yes	Yes	150mm Yes	130mm Yes
Yes -175/175	150mm Yes -175/175	150mm Yes -175/175	Yes -175/175	150mm Yes -175/175	130mm Yes -175/175
Yes -175/175 -5/30	150mm Yes -175/175 -5/30	150mm Yes -175/175 -5/30	Yes -175/175 -5/30	150mm Yes -175/175 -5/30	130mm Yes -175/175 -5/20
Yes -175/175 -5/30 4,97	150mm Yes -175/175 -5/30 5,95	150mm Yes -175/175 -5/30 5,72	Yes -175/175 -5/30 6,3	150mm Yes -175/175 -5/30 6,07	130mm Yes -175/175 -5/20 5,83
Yes -175/175 -5/30 4.97 540 x 508 x 206 mm	150mm Yes -175/175 -5/30 5,95 541 x 527 x 257 mm	150mm Yes -175/175 -5/30 5,72 541 x 527 x 257 mm	Yes -175/175 -5/30 6,3 541 × 527 × 257	150mm Yes -175/175 -5/30 6,07 541 x 527 x 257	130mm Yes -175/175 -5/20 5,83 541 x 492 x 257 mm
Yes -175/175 -5/30 4,97 540 x 508 x 206 mm 540 x 323 x 50 mm	150mm Yes -175/175 -5/30 5,95 541 x 527 x 257 mm 541 x 332 x 57 mm	150mm Yes -175/175 -5/30 5,72 541 x 527 x 257 mm 541 x 332 x 57 mm	Yes -175/175 -5/30 6,3 541 x 527 x 257 541 x 332 x 57	150mm Yes -175/175 -5/30 6,07 541 x 527 x 257 541 x 332 x 57	130mm Yes -175/175 -5/20 5,83 541 x 492 x 257 mm 541 x 332 x 57 mm
Yes -175/175 -5/30 4.97 540 x 508 x 206 mm	150mm Yes -175/175 -5/30 5,95 541 x 527 x 257 mm	150mm Yes -175/175 -5/30 5,72 541 x 527 x 257 mm	Yes -175/175 -5/30 6,3 541 × 527 × 257	150mm Yes -175/175 -5/30 6,07 541 x 527 x 257	130mm Yes -175/175 -5/20 5,83 541 x 492 x 257 mm
Yes -175/175 -5/30 4,97 540 x 508 x 206 mm 540 x 323 x 50 mm 100x100	150mm Yes -175/175 -5/30 5,95 541 x 527 x 257 mm 541 x 332 x 57 mm 100x100	150mm Yes -175/175 -5/30 5,72 541 x 527 x 257 mm 541 x 332 x 57 mm 100x100	Yes -175/175 -5/30 6.3 541 x 527 x 257 541 x 332 x 57 100×100	150mm Yes -175/175 -5/30 6,07 541 x 527 x 257 541 x 332 x 57 100x100	130mm Yes -175/175 -5/20 5,83 541 x 492 x 257 mm 541 x 332 x 57 mm 100x100
Yes -175/175 -5/30 4,97 540 x 508 x 206 mm 540 x 323 x 50 mm 100x100	150mm Yes -175/175 -5/30 5,95 541 x 527 x 257 mm 541 x 332 x 57 mm 100x100 Yes	150mm Yes -175/175 -5/30 5,72 541 x 527 x 257 mm 541 x 332 x 57 mm 100x100 Yes	Yes -175/175 -5/30 6,3 541 x 527 x 257 541 x 332 x 57 100x100 Yes	150mm Yes -175/175 -5/30 6,07 541 x 527 x 257 541 x 332 x 57 1541 x 332 x 57 100 Yes	130mm Yes -175/175 -5/20 5,83 541 x 492 x 257 mm 541 x 332 x 57 mm 541 x 332 x 57 mm 740 740 Yes
Yes -175/175 -5/30 4.97 540 x 508 x 206 mm 540 x 323 x 50 mm 100x100 0 13	150mm Yes -175/175 -5/30 5,95 541 x 527 x 257 mm 541 x 332 x 57 mm 100x100 Yes 14,2	150mm Yes -175/175 -5/30 5.72 541 x 527 x 257 mm 100x100 Yes 15.4	Yes -175/175 -5/30 6,3 541 × 527 × 257 541 × 332 × 57 100×100 Yes 16,5	150mm Yes -175/175 -5/30 6,07 541 x 527 x 257 541 x 332 x 57 100x100 Yes 14,4	130mm Yes -175/175 -5/20 5,83 541 x 492 x 257 mm 100x100 Yes 15,4
Yes -175/175 -5/30 4,97 540 x 508 x 206 mm 540 x 323 x 50 mm 100x100 0 13 <0,5	150mm Yes -175/175 -5/30 5,95 541 x 527 x 257 mm 100x100 Yes 14.2 <0.3	150mm Yes -175/175 -5/30 5,72 541 x 527 x 257 mm 100x100 Yes 15,4 <0.7	Yes -175/175 -5/30 6,3 541 × 527 × 257 541 × 332 × 57 100×100 Yes 16,5 < 0,5	150mm Yes -175/175 -5/30 6,07 541 × 527 × 257 541 × 332 × 57 100×100 Yes 14,4 < 0.3	130mm Yes -175/175 -5/20 5,83 541 x 492 x 257 mm 100x100 Yes 15.4 <0.3
Yes -175/175 -5/30 4,97 540 x 508 x 206 mm 540 x 323 x 50 mm 100x100 0 13 -0.5 Zero watts with Zero switch	150mm Yes -175/175 -5/30 5,95 541 x 527 x 257 mm 100x100 Yes 14,2 -0.3 Zero watts with AC switch	150mm Yes -175/175 -5/30 5,72 541 x 327 x 257 mm 100x100 Yes 15,4 -0.7 <0.3	Yes -175/175 -5/30 6,3 541 x 527 x 257 541 x 527 x 257 100×100 Yes 16,5 < 0.5 0	150mm Yes -175/175 -5/30 6,07 541 × 527 × 257 541 × 332 × 57 100×100 Yes 14,4 < 0.3 0	130mm Yes -175/175 -5/20 5,83 541 x 492 x 257 mm 100x100 Yes 15,4 4,0,3 0,3 0
Yes -175/175 -5/30 4,97 540 x 508 x 206 mm 540 x 323 x 50 mm 100x100 0 13 <0.5	150mm Yes -175/175 -5/30 5,95 541 x 527 x 257 mm 100x100 Yes 14.2 <0.3	150mm Yes -175/175 -5/30 5,72 541 x 527 x 257 mm 100x100 Yes 15,4 <0.7	Yes -175/175 -5/30 6,3 541 × 527 × 257 541 × 332 × 57 100×100 Yes 16,5 < 0,5	150mm Yes -175/175 -5/30 6,07 541 × 527 × 257 541 × 332 × 57 100×100 Yes 14,4 < 0.3	130mm Yes -175/175 -5/20 5,83 541 x 492 x 257 mm 100x100 Yes 15.4 <0.3
Yes -75/175 -5/30 4,97 540 x 508 x 206 mm 540 x 323 x 50 mm 13 -0.5 Zero watts with Zero switch Internal	150mm Yes -175/175 -5/30 5,95 541 x 527 x 257 mm 541 x 322 x 57 mm 100x100 Yes 14.2 -0.3 Zero watts with AC switch Internal	150mm Yes -175/175 -5/30 5,72 541 x 527 x 257 mm 541 x 332 x 57 mm 100x100 Yes 15,4 -0.7 -0.3 External	Yes -175/175 -5/30 6,3 541 x 527 x 257 541 x 332 x 57 100x100 Yes 16,5 < 0,5 0 Internal+DC-out	150mm Yes -175/175 -5/30 6,07 541 × 527 × 257 541 × 332 × 57 14,4 < 0.3 0 Internal	130mm Yes -175/175 -5/20 5,83 541 x 492 x 257 mm 541 x 332 x 57 mm 541 x 332 x 57 mm 154 Yes 154 +0.3 0
Yes -175/175 -5/30 4.97 540 × 508 × 206 mm 540 × 323 × 50 mm 100×100 0 13 <0.5 Zero watts with Zero switch Internal Edge	150mm Yes -175/175 -5/30 5,95 541 x 527 x 257 mm 100x100 Yes 14.2 <0.3 Zero watts with AC switch Internal	150mm Yes -175/175 -5/30 5.72 541 x 527 x 257 mm 100x100 Yes 15.4 <0.7 <0.3 External Edge	Yes -175/175 -5/30 6,3 541 x 527 x 257 541 x 332 x 57 100x000 Yes 16,5 < 0.5 0 Internal+DC-out Certified Edge	150mm Yes -175/175 -5/30 6.07 541×527×257 541×332×57 100×100 Yes 14.4 < 0.3 0 Internal	130mm Yes -175/175 -5/20 5.83 541 x 492 x 257 mm 100x100 Yes 15.4 <0.3 0 0 15.4 <0.3 0
Yes -175/175 -5/30 4,97 540 x 508 x 206 mm 540 x 323 x 50 mm 100x100 0 13 <0.5 Zero watts with Zero switch Internal Edge Gold	150mm Yes -175/175 -5/30 5,95 541 x 527 x 257 mm 541 x 332 x 57 mm 100x100 Yes 14,2 -0.3 Zero watts with AC switch Internal Edge Gold	150mm Yes -175/175 -5/30 5,72 541 x 527 x 257 mm 541 x 332 x 57 mm 100x100 Yes 15,4 -0.7 <0.3 External Edge Gold	Yes -175/175 -5/30 6,3 541 x 527 x 257 541 x 332 x 57 100 100 Yes 16,5 < 0.5 0 Internal+DC-out Certified Edge Gold	150mm Yes -175/175 -5/30 6,07 541 × 527 × 257 541 × 322 × 57 100×100 Yes 14,4 < 0.3 0 Internal Certified Edge Gold	130mm Yes -175/175 -5/20 5,83 541 x 492 x 257 mm 100x100 100x100 Yes 15,4 -0.3 0 Internal 6 6 Gold
Yes -175/175 -5/30 4.97 540 x 508 x 206 mm 540 x 323 x 50 mm 100x100 0 13 <0.5 Zero watts with Zero switch Internal Edge	150mm Yes -175/175 -5/30 5,95 541 x 527 x 257 mm 100x100 Yes 14.2 <0.3 Zero watts with AC switch Internal	150mm Yes -175/175 -5/30 5.72 541 x 527 x 257 mm 100x100 Yes 15.4 <0.7 <0.3 External Edge	Yes -175/175 -5/30 6,3 541 x 527 x 257 541 x 332 x 57 100x000 Yes 16,5 < 0.5 0 Internal+DC-out Certified Edge	150mm Yes -175/175 -5/30 6.07 541×527×257 541×332×57 100×100 Yes 14.4 < 0.3 0 Internal	130mm Yes -175/175 -5/20 5.83 541 x 492 x 257 mm 100x100 Yes 15.4 <0.3 0 0 15.4 <0.3 0
Yes -175/175 -5/30 4,97 540 x 508 x 206 mm 540 x 323 x 50 mm 100x100 0 13 <0.5 Zero watts with Zero switch Internal Edge Gold	150mm Yes -175/175 -5/30 5,95 541 x 527 x 257 mm 541 x 332 x 57 mm 100x100 Yes 14,2 -0.3 Zero watts with AC switch Internal Edge Gold	150mm Yes -175/175 -5/30 5,72 541 × 527 × 257 mm 100×100 Yes 15,4 -0.7 <0.3 External Edge Gold	Yes -175/175 -5/30 6,3 541 x 527 x 257 541 x 332 x 57 100 100 Yes 16,5 < 0.5 0 Internal+DC-out Certified Edge Gold	150mm Yes -175/175 -5/30 6,07 541 × 527 × 257 541 × 322 × 57 100×100 Yes 14,4 < 0.3 0 Internal Certified Edge Gold	130mm Yes -175/175 -5/20 5,83 541 x 492 x 257 mm 100x100 100x100 Yes 15,4 -0.3 0 Internal 6 6 Gold
Yes -75/175 -5/30 4,97 540 x 508 x 206 mm 540 x 323 x 50 mm 100x100 0 0 0 -0.5 Zero watts with Zero switch Internal Edge Gold 7 1	150mm Yes -175/175 -5/30 5,95 541 x 527 x 257 mm 541 x 332 x 57 mm 100x100 Yes 14,2 -0.3 Zero watts with AC switch Internal Edge Gold	150mm Yes -175/175 -5/30 5,72 541 x 327 x 257 mm 100x100 Yes 15,4 -0.7 -0.3 External Edge Gold 7	Yes -175/175 -5/30 6,3 541 x 527 x 257 541 x 527 x 257 100x100 Yes 16,5 < 0.5 0 Internal+DC-out Certified Edge Gold 7 1	150mm Yes -175/175 -5/30 6,07 541 × 527 × 257 541 × 332 × 57 100×100 Yes 14,4 < 0.3 0 Internal Certified Edge Gold 7 1	130mm Yes -175/175 -5/20 5,83 541 x 492 x 257 mm 100x100 100x100 Yes 15,4 -0.3 0 Internal 6 6 Gold
Yes -75/175 -5/30 4,97 540 x 508 x 206 mm 540 x 323 x 50 mm 100 x100 0 13 <0.5 Zero watts with Zero switch Internal Edge Gold 7 1 1 1	150mm Yes -175/175 -5/30 5,95 541 x 527 x 257 mm 100x100 Yes 14,2 -0.3 Zero watts with AC switch Internal Edge Gold 7	150mm Yes -175/175 -5/30 5,72 541 × 527 × 257 mm 100×100 Yes 15,4 -0.7 <0.3 External Edge Gold 7	Yes -175/175 -5/30 6,3 541 x 527 x 257 541 x 322 x 57 100x100 Yes 16,5 < 0.5 0 Internal+DC-out Certified Edge Gold 7 1 0	150mm Yes -175/175 -5/30 6,07 541 x 527 x 257 541 x 322 x 57 100x100 Yes 14,4 < 0.3 0 Internal Cectified Edge Cold 7	130mm Yes -175/175 -5/20 5,83 541 x 492 x 257 mm 100x100 Yes 15,4 -0.3 0 Internal 6 Gold 7
Yes -75/175 -5/30 4,97 540 x 508 x 206 mm 540 x 323 x 50 mm 100x100 0 0 100x100 0 2 4 4 5 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5	150mm Yes -175/175 -5/30 5.95 541 x 527 x 257 mm 541 x 332 x 57 mm 1000 Yes 14.2 -0.3 Zero watts with AC switch Internal Edge Gold 7	150mm Yes -175/175 -5/30 5,72 541 x 527 x 257 mm 541 x 332 x 57 mm 10 x 302 x 57 mm 10 x 302 x 57 mm 10 x 302 x 57 mm Yes 15,4 <0.7 <0.3 External Edge Gold 7 1 0 0 0	Yes -175/175 -5/30 6,3 541 x 527 x 257 541 x 322 x 57 100x100 Yes 16,5 < 0.5 0 Internal+DC-out Certified Edge Gold 7 1 0 0 1 0 0 0	150mm Yes -175/175 -5/30 6,07 541 x 527 x 257 541 x 527 x 257 541 x 322 x 57 100x100 Yes Yes 14,4 4 <0.3 0 Internal Certified Edge Gold 7 1 0	130mm Yes -175/175 -5/20 5,83 541 x 492 x 257 mm 10 x 132 x 57 mm 10 x 100 Yes 15,4 4 0.3 0 Internal 6 Gold 7 1 1 1 1 0
Yes -75/175 -5/30 4,97 540 x 508 x 206 mm 540 x 323 x 50 mm 0 13 -0.5 2ero watts with Zero switch Internal Edge 6old 7 1 1 1 0 1 1 0 1	150mm Yes -175/175 -5/30 5,95 541 x 527 x 257 mm 100x100 Yes 14.2 -0.3 Zero watts with AC switch Internal Edge Gold 7 1 1 1 1 0 0 0	150mm Yes -175/175 -5/30 5.72 541 x 527 x 257 mm 100x100 Yes 15,4 <0.7 <0.3 External Edge Gold 7 1 0 0 0 0	Yes -175/175 -5/30 6,3 541 x 527 x 257 541 x 527 x 257 541 x 332 x 57 100x100 Yes 16,5 < 0.5 0 Internal+DC-out Certified Edge Gold 7 1 0 0 0 0 0 0	150mm Yes -175/175 -5/30 6,07 541 x 527 x 257 541 x 322 x 57 100x100 Yes 14,4 < 0.3 0 Internal Cectified Edge Cold 7	130mm Yes -175/175 -5/20 5,83 541 x 492 x 257 mm 100x100 Yes 15,4 -0.3 0 Internal 6 Gold 7
Yes -757175 -5/30 4,97 540 x 508 x 206 mm 540 x 508 x 206 mm 0 100x100 0 0 0 0 13 -0.5 Zero watts with Zero switch Internal Edge 6old 7 1 1 0 1 1 0 1 1 0 1 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1	150mm Yes -175/175 -5/30 5,95 541 x 527 x 257 mm 100x100 Yes 14.2 -0.3 Zero watts with AC switch Internal Edge Gold 7 1 1 0 0 0 0 0	150mm Yes -175/175 -5/30 5,72 541 x 327 x 257 mm 100x100 Yes 15.4 -0.7 -0.3 External Edge Gold 7 1 0 0 0 0 0 0 0 0	Yes -175/175 -5/30 6,3 541 x 527 x 257 541 x 322 x 57 100x100 Yes 16,5 < 0.5 0 Internal+DC-out Certified Edge Gold 7 1 0 0 0 0 0 0 0 0 0 0 0 0 0	150mm Yes -175/175 -5/30 6,07 541 x 527 x 257 541 x 527 x 257 541 x 322 x 57 100x100 Yes Yes 14,4 4 <0.3 0 Internal Certified Edge Gold 7 1 0	130mm Yes -175/175 -5/20 5,83 541 x 492 x 257 mm 100x100 Yes 15.4 -0.3 0 Internal 6 6 Gold 7 1 1 1 1 0 0 0 1 1
Yes -75/175 -5/30 4,97 540 x 508 x 206 mm 540 x 323 x 50 mm 0 13 -0.5 Zero watts with Zero switch Internal Edge Gold 7 1 1 1 0 1 1 1 1 1 1 1 1	150mm Yes -175/175 -5/30 5,95 541 x 527 x 257 mm 100x100 Yes 14.2 -0.3 Zero watts with AC switch Internal Edge Gold 7 1 1 1 1 0 0 0	150mm Yes -175/175 -5/30 5.72 541 x 527 x 257 mm 100x100 Yes 15,4 <0.7 <0.3 External Edge Gold 7 1 0 0 0 0	Yes -175/175 -5/30 6,3 541 x 527 x 257 541 x 527 x 257 541 x 332 x 57 100x100 Yes 16,5 < 0.5 0 Internal+DC-out Certified Edge Gold 7 1 0 0 0 0 0 0	150mm Yes -175/175 -5/30 6,07 541 x 527 x 257 541 x 527 x 257 541 x 322 x 57 100x100 Yes Yes 14,4 4 <0.3 0 Internal Certified Edge Gold 7 1 0	130mm Yes -175/175 -5/20 5,83 541 x 492 x 257 mm 10 x 132 x 57 mm 10 x 100 Yes 15,4 4 0.3 0 Internal 6 Gold 7 1 1 1 1 0

	24"	24"	22"	22"	22"
MODEL NUMBER	241B7QPJEB	241B7QGJEB	220B4LPYCB	222B9T 21,5 inch / 54,6 cm	221B8LJEB
Screen size PICTURE / DISPLAY	23,8 inch / 60,5 cm	23,8 inch / 60,5 cm	22 inch / 55,9 cm	21,5 Inch / 54,6 cm	21,5 inch / 54,6 cm
LCD Panel type	IPS	IPS	TN	TN	TN
Backlighting	WLED	WLED	WLED	WLED	WLED
Optimum resolution	1920x1080@60Hz	1920x1080@60Hz	1680x1050@60Hz	1920x1080@60Hz	1920x1080@60Hz
Aspect ratio	16:9	16:9	16:10	16:9	16:9
Viewing angle (CR10)	178/178	178/178	170/160	170/160	170/160
Brightness (cd/m ²)	250	250	250	250	250
Contrast ratio (typical)	1000:1	1000:1	1000:1	1000:1	1000:1
Smart Contrast ratio	20M:1	20M:1	20M:1	50M:1	20M:1
Smart Response time	5	5	5	2	1
Pixel pitch (mm)	0.275 x 0.275	0.275 x 0.275	0.282 x 0.282	0.248 x 0.248	0.248 x 0.248
Colour Gamut	0	0	0	0	0
CONNECTIVITY					
VGA	1	1	1	0	1
DVI	0	1	1	0	0
HDMI	1	1	0	1	1
Display Port	1	1	0	0	0
USB	2	4	2	2	4
PC audio-in	Yes	Yes	Yes	Yes	Yes
Headphones out	Yes	Yes	Yes	Yes	Yes
FEATURES					
Speakers	Yes	Yes	Yes	Yes	Yes
Webcam 2mp / microphone	0	0	0	0	0
Smart Control software	Yes	Yes	Yes	Yes	Yes
Multi view	0	0	0	0	0
Blue mode	LowBlue	0	0	LowBlue	LowBlue
FlickerFree	0	0	0	0	Yes
PHYSICAL SPECS/ERGONOMICS					
Smart Ergo Base	Yes	Yes	Yes	Yes	Yes
Height adjustment (mm)	130mm	130mm	110mm	63	130mm
Pivot (90 degree)	Yes	Yes	Yes	0	Yes
Swivel (degree)	-175/175	-175/175	-65/65	0	-175/175
Tilt (degree)	-5/20	-5/20	-5/20	-5/90	-5/30
Weight with stand (kg)	5,83	5,93	5,2	7,46	4,55
Dimensions with stand WxHxD (mm)	541 x 492 x 257 mm	541 x 527 x 257 mm	504 x 509 x 227 mm	515 x 394 x 227 mm	504 x 477 x 206 mm
Dimension without stand WxHxD (mm)	541 x 332 x 57 mm	541 x 332 x 57 mm	504 x 349 x 59 mm	515 x 317 x 45 mm	504 x 304 x 47 mm
VESA mount (mm)	100×100	100×100	100×100	100×100	100×100
ENERGY EFFICIENCY					
Power Sensor	Yes	Yes	Yes	0	0
On mode (W)	15,4	11	14,61	15	14,2
Standby mode (W)	<0.3	<0.3	0,1	<0.5	<0.5 Zero watts with Zero
Off mode (W)	0	0	0	<0.3	switch
Power supply	Internal	Internal	Internal	External	Internal
APPROVALS					
TCO	6	Edge	6	Edge	Edge
EPEAT	Gold	Gold	Gold	Yes	Gold
Energy Star	7	7	7	7	7
WHAT'S IN THE BOX					
Power cable included	1	1	1	1	1
VGA cable included	1	1	1	0	1
DVI cable included	0	1	1	0	0
HDMI cable included	1	1	0	0	1
DisplayPort cable included	1	1	0	0	0
Audio cable included	1			0	
USB cable included	0	0	0	0	0

22"	22"	19"	Pressor 172 Transf	16"
221B8LHEB	221B7QPJKEB	19B4LCS5	172B9T	162B9T
21,5 inch / 54,6 cm	21,5 inch / 54,6 cm	19 inch / 48 cm	17 inch / 43.2 cm	15.6 inch / TBC
TN	IPS	ADS	TFT	TN
WLED	WLED	WLED	WLED	WLED
1920x1080@60Hz	1920x1080@60Hz	1280x1024@60Hz	1280x1024@60Hz	1366x768@60Hz
16:9 170/160 250 1000:1	16:9 178/178 250 1000:1	5:4 170/160 250 1000:1	5:4 170/160 250 1000:1	170/160 TBC TBC
20M:1 1 0.248 x 0.248 0	20M:1 5 0.248 x 0.248 0	20M:1 5 0.294 x 0.294 0	50M:1 1 0.264 x 0.264 87%/103%	TBC TBC
1 0	1 0	1	1	1
1	1	0	1	1
0		0	1	1
0		0	USB3.1 x 2	USB3.1 x 2
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	
Yes	Yes	Yes	Yes	Yes
O	Yes	O	O	
Yes	Yes	Yes	Yes	
O	O	O	O	
LowBlue	LowBlue	O	Low Blue	
Yes	0	0	Yes	
Yes	Yes	Yes	0	ТВС
130mm	130mm	110mm	184(Horizontal), 76 (Vertical)	
Yes	Yes	Yes	0	
-175/175	-175/175	-65/65	0	-5/90
-5/30	-5/20	-5/20	-5/90	
4,45	5,08	4,61	6,24	
504 x 477 x 206 mm	490 x 473 x 220 mm	404 x 506 x 227 mm	376 x 399 x 227	100×100
504 x 304 x 47 mm	490 x 302 x 52 mm	404 x 346 x 61 mm	376 x 322 x 45	
100x100	100x100	100x100	100x100	
0	Yes	0	0	
14,2	14,6	14	10,3	
<0.3	<0.3	0,1	< 0.5	
Zero watts with Zero switch	0	0,1	< 0.3	
Internal	Internal	Internal	External	External
Edge	6	7	Certified Edge	Certified Edge
Gold	Gold	Gold	Yes	Yes
7	7	7	7	Yes
1	1	1	1 0	1
0 1 0	0 0 1	0	0 1 1	1
1 0	1 Yes	0	1	1

	49"	44"	34"	32"	32"
MODEL NUMBER	499P9H	439P9H	349P7FUBEB	329P9H	328P6VUBREB
Screen size	49 inch / 124 cm	43.4 inch / TBC	34 inch / 86,36 cm	31,5 inch / 80 cm	31,5 inch / 80 cm
PICTURE / DISPLAY	2/4	244	MVA	IPS	2/4
LCD Panel type Backlighting	VA WLED	VA WLED	WLED	WLED	VA WLED
Optimum resolution	5120x144@60Hz	3840x1200@100Hz	3440x1440@60Hz	3840 x 2160@60Hz	3840 x 2160@60Hz
Aspect ratio	32:9	32:10	21:9	16:9	16:9
Viewing angle (CR10)	178/178	178/178	178/178	178/178	178/178
Brightness (cd/m ²)	450	400	300	350	600 (peak)
Contrast ratio (typical)	3000:1	3000:1	3000:1	1300:1	3000:1
Smart Contrast ratio	80M:1	80M:1	50M:1	50M:1	80M:1
Smart Response time	5	5	4	5	4
Pixel pitch (mm)	0.233 x 0.233	0.274 x 0.274	0.232 x 0.232	0.182 x 0.182	0.181 x 0.181
Colour Gamut	103%/121%/91%/94.62%	TBC	99.8%/117,3%	90%/108%/87%	116%/138%/94%/98%
CONNECTIVITY	10576/12176/5176/5185278	150	55.5767 117,576		1010/10010/0110/0010
VGA	0		0	0	0
DVI	0		0	0	0
HDMI	2	1	1	2	2
Display Port	1	2	1	1	1
USB	3	USB-c/USB3.1 x 2	4	4	5
	0	USB3.1 Type C x 2	Vec	0	Vec
PC audio-in Headphones out	Yes	Yes	Yes Yes	Yes	Yes Yes
FEATURES	tes	Tes	Tes	Tes	Tes
Speakers	Yes	Yes	Yes	Yes	Yes
Webcam 2mp / microphone	Pop-up 2.0 megapixel FHD camera with microphone and LED indicator (Windows 10 Hello)	Pop-up 2.0 megapixel FHD camera with microphone and LED indicator (Windows 10 Hello)	0	Pop-up 2.0 megapixel FHD camera with microphone and LED indicator (Windows 10 Hello)	0
Smart Control software	Yes	Yes	Yes	Yes	Yes
Multi view	Yes	Yes	Yes	Yes	Yes
Blue mode	LowBlue	LowBlue	LowBlue	LowBlue	LowBlue
FlickerFree	0	Yes	0	0	0
PHYSICAL SPECS/ERGONOMICS					
Smart Ergo Base	Yes	120	Yes	Yes	Yes
Height adjustment (mm)	130mm	130mm	180mm 0	180mm	180mm
Pivot (90 degree)	0	20.00	-	Yes	Yes
Swivel (degree) Tilt (degree)	-20/20 -5/10	-20/20 -5/10	-170/170 -5/20	-175/175 -5/25	-170/170 -5/20
Weight with stand (kg)	15,3	-5/10	9,6	10,63	936
Dimensions with stand WxHxD (mm)	1194 x 568 x 303 mm		9,0 810 x 621 x 311 mm	715 x 636 x 246 mm	742 x 657 x 270 mm
Dimension without stand WxHxD (mm)	1194 x 369 x 156 mm		810 x 369 x 98 mm	715 x 412 x 51 mm	742 x 438 x 63 mm
VESA mount (mm)	100x100	100x100	100x100	100x100	100x100
ENERGY EFFICIENCY					
Power Sensor	0		0	Power / Light Sensors	0
On mode (W)	45		67,09	33	41
Standby mode (W)	0,3		<0.5	<0.5	<0.5
Off mode (W)	Zero watts with Zero switch		<0.3	Zero watts with Zero switch	Zero watts with Zero switch
Power supply	Internal	Internal	External	Internal	Internal
APPROVALS					
TCO	Certified	Certified	0	Certified	Edge
EPEAT	Yes	Yes	0	Yes	Gold
Energy Star	7	7	0	7	7
WHAT'S IN THE BOX					
Power cable included	1	1	1	1	1
VGA cable included	0		0	0	0
DVI cable included	0		0	0	0
HDMI cable included	1		1	1	0
DisplayPort cable included	1		1	1	1
Audio cable included			1	0	
USB cable included	USB-C cable, USB-A to USB-C cable, USB-A to B		USB cable, USB-C to USB-C cable, USB-C	USBC to USB-C, USB-C to USB-A	USB-C cable, USB-A to USB-C cable

32"	32	28"	27"	19
328P6VJEB	328P6AUBREB	288P6LJEB	272P7VPTKEB	19P4QYEB
31,5 inch / 80,1 cm	31,5 inch / 80,1 cm	28 inch / 71.1 cm	27 inch / 68.5 cm	19 inch / 48 cm
VA	IPS tech.	TFT	IPS	ADS
WLED	WLED	WLED	WLED	WLED
3840x2160@60Hz 16:9	2560x1440@60Hz 16:9	3840x2160@60Hz 16:9	3840x2160@60Hz 16:9	1280x1024@60Hz 5:4
178/178	178/178	170/160	178/178	178/178
300	450	300	350	250
3000:1	1200:1	1000:1	1000:1	1000:1
50M:1 4	50M:1 4	50M:1	80M:1 5	20M:1 5
0.181 x 0.181	4 0.2727 x 0.2727	0.16 x 0.16	0.155 x 0.155	0.293 x 0.293
0	99% Adobe RGB	sRGB	103%/122%	0
1	1	1	1	1
0	0	1	0	1
0	1	1	1	0
1	1	1	1x IN + 1x OUT (Daisy Chain)+mini DP	0
0	3	USB 2.0 x 2, USB 3.0 x 2	USB 3.0 x 3	4
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
0	0	0	2.0 megapixel FHD camera with microphone and LED indictor	0
Yes	Yes	0	Yes	Yes
Yes	0	Yes	0	0
0	LowBlue	0	Low Blue	0
Yes	0	0	Yes	Yes
Yes	Yes	Yes	Yes	Yes
180mm	180mm	150mm	150mm	130mm
Yes -170/170	Yes -170/170	Yes -65/65	Yes -175/175	Yes -65/65
-5/20	-5/20	-5/20	-5/30	-5/20
9,23	9,7	8,05	7,86	5,25
742 x 657 x 270 mm	742 x 657 x 270 mm	659 x 573 x 273	614 x 548 x 257	404 x 513 x 220 mm
742 x 438 x 63 mm	742 x 438 x 63 mm	659 x 395 x 49	614 x 372 x 56	404 x 346 x 61 mm
100×100	100×100	100×100	100×100	100×100
0	0	0	Yes	0
42,4	32,4	48,65	31,9	12,69
<0.5	<0.5	0,5	0,3	0,3
Zero watts with Zero switch	Zero watts with Zero switch	0	0	0,3
Internal	Internal	Internal	Internal	Internal
0	0	Certified Edge	Certified Edge	Certified
0	Gold	Gold	Gold	Gold
7	7	6	7	7
1	1	1	1	1
1	1	1	0	1
0	0	1	0	1
1	1	1	1	0
1	1	1	1	1
0	USBC to USB-C, USB-C to USB-A	0	1	0

